

Journal: Computers & Industrial Engineering

Manuscript Number: CAIE-D-20-00052R1

Title: **Modelling and Simulation considerations for an End-to-End Supply Chain System**

Article Type: Research Paper

Keywords: simulation, end-to-end supply chain, systematic literature review

Corresponding Author: Dr. Barbara Chilmon, Ph.D

Corresponding Author's Institution: The University of Huddersfield

First Author: Barbara Chilmon, Ph.D

Order of Authors: Barbara Chilmon, Ph.D; Nicoleta Tipi, Ph.D

Abstract: The efforts of this review paper are twofold: to provide an insightful examination of various contributions to knowledge surrounding simulation methods within an end-to-end supply chain and to guide research agenda by indicating generic elements required to model such systems using simulation. The authors examined 255 publications from 21 peer-reviewed journals in the field of an end-to-end supply chain and simulation using a systematic literature review approach. Each publication was thoroughly reviewed to capture best practices and key characteristics relative to simulation modelling techniques used in the context of complex end-to-end supply chain systems. This allowed for identification of generic elements required to model such systems, which were grouped into Structural, Computational and System Organization pillars. This research contributes to the body of knowledge by defining generic aspects of simulation modelling techniques used to study properties and attributes of complex end-to-end supply chains. The paper advances the theoretical understanding of the simulation methods used and applicability of simulation methodology in modelling end-to-end supply chain systems. The research presents the key findings from the use of simulation in modelling end-to-end supply chains and the main ways in which this modelling technique has informed research and practise.

Title Page including Author details

Title:

“Modelling and Simulation considerations for an End-to-End Supply Chain System”

Authors: Dr. Barbara Chilmon and Dr. Nicoleta S. Tipi

Corresponding Author: Dr Barbara Chilmon

First author: Dr. Barbara Chilmon, Affiliation: Former researcher at the University of Huddersfield, Huddersfield Business School, Queensgate, Huddersfield, HD1 3DH, email: bchilmon@me.com

Co-author: Dr. Nicoleta S. Tipi, Affiliation: The University of Huddersfield, Huddersfield Business School, Queensgate, Huddersfield, HD1 3DH, email: n.tipi@hud.ac.uk

Sponsor: The research has been sponsored by the University of Huddersfield under the Vice-Chancellor’s Scholarship scheme.

1. Introduction

A supply chain (SC) system is a network of businesses, which are engaged in various activities and processes required to deliver goods and/or services on time and in full to the end customer (Handfield & Nichols, 2002). In an end-to-end supply chain (E2E-SC) system, the number of business entities linked to each other can be very large and often difficult to know their exact number. It has been acknowledged that despite working on a common goal, businesses have disjoined or contradicting objectives and various constraints (Handfield & Nichols, 2002). This research argues that E2E-SCs exhibit systemic properties and complexity attributes, which have a considerable impact on the management of these systems. Therefore, this study is set to establish the challenges and limitations of using simulation methodology within the constraints of E2E-SC systems.

Although, current studies considered the state of the art of simulation in supply chain context (Oliveira, Lima, & Montevechi, 2016), this paper contributes by providing a systematic review of simulation modelling in the context of E2E-SC, where challenges relative to development of complex simulation models are highlighted.

Modelling techniques can be used to support decision makers in managing E2E-SC systems and to gain a better understanding of their properties and attributes. This can be achieved by developing and analysing an array of modelling examples integrating concepts from several fields without the need to modify the actual system or network. The current range of SC models can be further enhanced by a set of generic rules, elements and processes that can be considered for modelling and simulation of these complex E2E-SC structures. The ambition of this paper is to outline these considerations and provide guidance to SC modellers, managers, data analysts and experts on how simulation projects considering E2E-SC structures can be approached, designed and used to enhance their decision-making process and results implementation. Simulation is considered to be one of the most suitable methods for modelling complex systems (Terzi & Cavalieri, 2004). Some examples within the extant literature

highlight the benefits of using various simulation techniques, which due to their inherent capabilities allow to:

- consider more elements or characteristics of a complex system within models (Chatfield, Hayya, & Harrison, 2007);
- analyse dynamic behaviour of a complex SC system (Labarthe, Espinasse, Ferrarini, & Montreuil, 2007);
- combine aspects relative to SC systems as well as Supply Chain Management (SCM) within the models (Caridi, Cigolini, & De Marco, 2005);
- integrate multidisciplinary knowledge from various fields such as: computer science, engineering (Petersen, Aase, & Heiser, 2011), biology (Surana, Kumara, Greaves, & Raghavan, 2005) and behavioural sciences (Govindu & Chinnam, 2010).

Albeit the efforts in developing advanced and powerful modelling techniques are quite immense and accredited to many, further insights can be gained by advancing theoretical understanding of the simulation methods used and applicability of simulation methodology in modelling end-to-end supply chain systems. This study contributes to the body of knowledge by providing an overview of the literature on modelling E2E-SC systems using simulation. This is achieved by reviewing simulation modelling techniques used to study properties and attributes of complex E2E-SCs. These considerations can serve as fundamental building blocks when developing sophisticated and powerful simulation models of any E2E-SC. This paper presents key findings on the use of simulation in E2E-SC systems and discusses how simulation modelling has informed research and practise within an E2E-SC.

The paper is structured as follows. After the introductory section, an overview of the system thinking, and the complexity theory is presented. The importance of both theories to simulation modelling of an E2E-SC is also explained in Section 2. In Section 3, a systematic literature review (SLR) strategy used in this paper is presented and a review protocol is defined. The findings of the SLR are presented in

Section 4, which opens with a classification of the identified themes and generic processes relative to E2E-SC systems. The SLR findings continue with an overview of the simulation modelling techniques and specification of their generic elements. The research is based on the ontology that integrates the systems thinking philosophy, complexity theory and simulation methodology. A review of the main aspects relative to these ontologies within selected studies, culminated in defining considerations for modelling E2E-SC systems. A summary of the research findings and areas for further work concludes the paper.

2. System thinking and complexity

E2E-SCs are complex systems and this part of the paper is set to elaborate on the importance of system thinking philosophy and complexity theory in the E2E-SC system simulation modelling. The paper is sought to review literature on simulation modelling of complex E2E-SC system structures and to this extent is deemed relevant to highlight the importance of the complexity theory and system thinking.

The elements or parts of an E2E-SC system, for instance a set of suppliers, manufacturers, distributors and customers forming an E2E-SC, interact between each other not in absolute terms but in a relative sense. Normally, each element (i.e. suppliers) can be treated as a fundamental building block of an E2E-SC or if viewed from another perspective, the same element can be decomposed into smaller, autonomous parts (i.e. considering critical processes performed at supplier level). Interactions and relations between suppliers, manufacturers, distributors and customers instigate modifications in the E2E-SC system behaviour compared to when those elements are not a part of the system. Viewing this more generally, Morin (1992) appreciated that the paradigmatic view of the system can be multidimensional. This is attributed to the existing varying levels of confluence between the two important ontological derivatives: (1) a system is a physical construct based on the fundamentals of realism, where the perception of the observer depicts the system description, and (2) a system is a perception of an ideal, heuristic and pragmatic model in nature designed with the aim to evaluate,

improve, control or model a phenomenon. Following Morin's (1992) views, this research deliberates on the difference between an E2E-SC system structure and its system organization, where the former is derived from simplicity and reductionism of the system to the structural whole (all elements/parts i.e. echelons), also referred to as holism. On the other hand, system organization (SO) considers the knowledge on elements/parts and whole of the system beyond its structure, which takes an account of the recursive influence of the emergent phenomena created by such structure. This implies that E2E-SC system elements/parts can evolve over time leading to changes within the SO and interactions between parts and systems. Understanding the complexity of these interactions, whether related to the system structure or SO is fundamental to the research as well as for rationalization and knowledge development about systems in addition to characteristics of their organizational interactions. This is important for E2E-SC systems, which are complex systems and simulation methodology is often used to study their systemic properties.

Various studies examined the following aspects of the system theory and complexity within SC systems:

- Simplified yet holistic view of a SC systems structure, for instance, as observed in Ertem et al. (Ertem, Buyurgan, & Rossetti, 2010) where consideration was given to a procurement process of a particular product within E2E-SC.
- The emerging nature of system organization, where SCs have been studied using complex adaptive system tools and techniques to better understand the complexity of SCs and how it occurs (Surana et al., 2005) or emergent architecture of system levels (Shang, Li, & Tadikamalla, 2004).
- The hierarchical nature of system organization where the system is regarded as a set of sub-systems that form complex interactions, and the system as a whole outperforms the sum of its parts (Pundoor & Herrmann, 2007) or hierarchical linkages of the SC elements modelled using Petri nets as a way to detect conflicts between entities/parts (Blackhurst, Wu, & Craighead, 2008).

- Entropy methodology that compares the different types/levels of information sharing approaches in the SC, where the organization produces entropy due to the uncertainty of information that leads to system degradation and on the other hand, with the help of auto-corrective information sharing mechanism, regeneration of system (negentropy) occurs (Martínez-Olvera, 2008).

These studies regard SCs as complex systems, which is also a viewpoint sustained by this research.

These compel the present work to similarly ascertain the complexity factors. Thought is given to system principles from the paradigm level, observing E2E-SC as a simplified structure or as an emerging organization, through SC phenomenal level, up to the level of principal explanations in order to understand the source of complexities (Morin, 1992) and considering the impact that complexity has on the simulation modelling efforts.

The challenge in modelling E2E-SCs as systems emanates not only from SC dynamics, but also from the complexities that originate at structural and operational levels. These exist within the organizational aspects of systems (Temponi, Bryant, & Fernandez, 2009) and require a clear and comprehensive framework that could serve as a blueprint to provide focus while developing E2E-SC system oriented simulation models. The efforts of this paper are directed towards identification of simulation modelling considerations within complex E2E-SC systems, which cogitate on principles of system thinking and complexity theory as found in Morin (1992) and on the simulation modelling aspects gathered throughout the process of the SLR. This is to provide a guide for an E2E-SC system modelling, emphasizing on the system structure, organization and the impact that properties of such systems can have on simulation model development and systems modelling. Consequently, this research gathered generic elements required for modelling an E2E-SC system using simulation and grouped them under structural, systemic organizational and computational pillars. These will be discussed in the following sections alongside other findings from the systematic literature review.

3. Systematic Literature Review

In order to dichotomize the existing research on modelling E2E-SC, the authors applied the SLR strategy that provides rigor by building upon the existing work within the area. This section provides a deep dive into a systematic review of the literature published in highly ranked journals on the use of simulation modelling in E2E-SC systems and follows a three steps approach namely: plan, review and report, in line with defined research boundaries (Rousseau, Manning, & Denyer, 2008). This approach offers a full transparency regarding studies selection and review steps. Moreover, it is a thorough, fair and rigorous search strategy hence deemed the most appropriate approach to answer the research questions (Kitchenham et al., 2009; Tranfield, Denyer, & Smart, 2003).

Simulation is a well-recognized methodology to study SCs, particularly for studying complex issues within these systems. Although widely used by SC managers/decision makers and researchers, the existing modelling techniques are not fully embedded to model E2E-SC systems. Various researchers dedicated their efforts to review simulation and supply chain related literature in search for trends, new developments and future prospects (Barbati, Bruno, & Genovese, 2012; Bellamy & Basole, 2013; Jahangirian, Eldabi, Naseer, Stergioulas, & Young, 2010; Oliveira et al., 2016; Santa-Eulalia, Halladjian, D'Amours, & Frayret, 2011).

Nevertheless, we could not name any earlier reviews that systematically reviewed literature in attempt to identify generic considerations for simulation modelling of E2E-SC systems.

The challenge with applying SLR methodologies for studies on simulation modelling of E2E-SC systems is compelled by the broad-range of heterogeneous studies within the area. In conducting the SLR (Fig. 1.), this research adopts a three phased approach: planning, conducting the review and reporting (Hohenstein, Feise, Hartmann, & Giunipero, 2015), (Pashaei & Olhager, 2015), (Ashby et al., 2012), (Colicchia & Strozzi, 2012), (Pilbeam, Alvarez, & Wilson, 2012). In the planning stage of the SLR, the research needs were identified as well as the research aim and objectives were formulated. Moreover, both authors have formed a review panel to help direct the SLR process through regular meetings,

discussions and aligning on the inclusion and exclusion of studies. The first author carried out the initial search and the second author independently checked and confirmed the search at every stage (Tranfield et al., 2003). The planning stage was finalised by creation of the SLR protocol, which captured all aspects of the SLR process as shown in phase 2 of the SLR in Figure 1 below.




Fig. 1. Systematic Literature Review process.

Source: Chilmon (2018)

The overall perspective deliberated within this study is to focus on commonly used elements, processes and the system characteristics when modelling E2E-SCs using simulation. The researchers developed the following primary research question to guide the SLR process:

RQ. How can simulation method be used to support modelling of an E2E-SC system?

The review process step of the SLR focused on searching for the relevant literature by using a well-established key words/search strings: “supply chain” AND “Simulat*” (Shafer & Smunt, 2004). A Scopus Science Direct and Business Source Complete (Hohenstein et al., 2015; Pashaei & Olhager, 2015) search engines were used for this purpose, which returned a large number of studies within the scope of the research hence deemed a sufficient source to use. Thereafter, a multiple screening approach was undertaken (Pilbeam et al., 2012). One screening filter was to apply a time frame between 2000 and 2017. Another screening activity was to devise more focus to the search criteria by selecting journals that deemed applicable to this research considering two distinct aspects of an E2E-SC grounded upon the concepts of supply chain and operations management and referring:

- To the cumulative efforts of multiple organizations directed towards product or service delivery to the end user/customer and
- To the entire chain of processes/ activities undertaken in order to deliver the product/ service to the final user/customer (Handfield & Nichols, 2002).

The authors achieved this by focusing on a selected number of high rank journals within the field of supply chain and simulation, building further on the grounding work of Shafer and Smunt (Shafer & Smunt, 2004), whose efforts focused on simulation studies within the Operations Management (OM) field. This research spans beyond the boundaries of OM in search for generic elements to be included in an E2E-SC simulation model.

Table 1 List of surveyed journals and papers selected for evaluation.

No.	Journal Title	Abbr.	Research Domain	Search string: "supply chain" AND "simulat**"	Selected Studies on E2E-SC ^^
1	International Journal of Production Research (3)	IJPR	OM; OPS&TECH	197	65
2	International Journal of Production Economics (3)	IJPE	OM; OPS&TECH	160	50
3	European Journal of Operational Research (4)	EJOR	OR&MS	82	28
4	Computers and Industrial Engineering (2)	CAIE	IE/ENG; OPS&TECH	74	25
5	<i>International Journal of Simulation and Process Modelling (N/A)</i>	IJSPM	SPM	45	8
6	<i>International Journal of Physical Distribution and Logistics Management (2)</i>	IJPDLM	OPS&TECH	23	6
7	Journal of the Operational Research Society (3)	JORS	OR&MS	23	8
8	<i>International Journal of Simulation Modelling (N/A)</i>	IJSIMM	CS	25	6
9	Computers and Operations Research (3)	COR	OR&MS	21	8
10	<i>Simulation Modelling Practice and Theory (2)</i>	SMPT	SSM; OR&MS	23	12
11	Production and Operations Management (4)	POM	OM; OPS&TECH	17	5
12	Omega: The International Journal of Management Science (3)	OME	OR&MS	18	7
13	<i>Supply Chain Management: An International (3)</i>	SCM: IJ	OR&MS; OPS&TECH	21	2
14	Decision Sciences (3)	DS	OR&MS	12	1
15	IIE Transactions (3)	IIE	IE/ENG; OR&MS	12	0
16	Interfaces (2)	INFCS	OR&MS	13	5
17	<i>Annals of Operations Research (3)</i>	AOR	OR&MS	15	3
18	Journal of Operations Management (4*)	JOM	OM; OPS&TECH	10	5
19	<i>Journal of Simulation (1)</i>	JOS	OR&MS	12	1
20	International Journal of Operations and Production Management (4)	IJOPM	OM; OPS&TECH	8	3
21	Operations Research (4*)	OR	OR&MS	9	2
22	IEEE Transactions on Engineering Management (3)	IEEE-TEM	IE/ENG; OPS&TECH	7	2
23	<i>International Journal of Modelling and Simulation (N/A)</i>	IJMS	CS/ENG/M	6	3
24	Management Science (4*)	MS	OR&MS	3	0
25	Naval Research Logistics (3)	NRL	OR&MS	3	0
26	Journal of Supply Chain Management (3)	JSCM	OPS&TECH	2	0
27	Harvard Business review (3)	HBR	ETHICS- CSR-MAN	0	0
28	Production and Inventory Management Journal (N/A)	PIM	IE/ENG	0	0
^^The final number of papers identified through screening activities. In <i>italics</i> journals added by this research.				841	255^^

Source: Chilmon (2018)

With the aim to address the research questions, a further seven journals were added to Shafer and Smunt's list to integrate elements from the field of E2E-SC and simulation modelling. A similar approach was observed in Ashby et al. (2012), where additional journals were considered as relevant due to the interdisciplinary nature of the subject of inquiry. The list of selected journals is presented in the Table 1 (added journals are in italicized text).

Shafer and Smunt (2004) investigation into empirical simulation studies in Operations Management is believed to be having an angle of relevance to the scope of this research and was considered for identification of thematic categories and trends in the E2E-SC literature past the year of 2000. A "supply chain" search string was used as well as wildcard characters to search for variations of the word simulation (search string: "simulat*") in the selected 28 journals, covering years between 2000 and 2017. The selection of articles was based on the appearance of the above search strings within the title, abstract, or key words of a paper. The search was performed in 3 databases: Scopus, EBSCO and Science Direct. This resulted in a total of 841 peer-reviewed journal publications, which were considered as a satisfactorily large number of studies for investigating the use of simulation modelling in E2E-SC.

Continuing on the quality assessment criteria and to provide more focus, a further review of the title, abstract and key words was conducted to ensure that all papers were adhering to the further search criteria, which were: "*entire supply chain*" OR "*extended supply chain*" OR "*complex supply chain*" OR "*complex network/s*" OR "*supply chain network*" OR "*multi echelon*" OR "*whole supply chain*" OR "*multi product*" OR "*multi-product*" OR "*extended enterprise*" OR "*complex system*" OR "*value chain*". This resulted in elimination of 582 publication that were deemed outside of the research scope and a remainder was 259 papers. There were also 4 duplicates that were identified with the help of the End Note software, leaving the final number of 255 papers for review. The full list of the 255 journal papers chosen for data synthesis and evaluation is provided in Appendix 1. All selected articles were extracted to Microsoft Excel with the support of the Reuters Bibliographic Software End Note and then all

selected journal papers were read, interrogated and classified into thematic and methodological categories. The use of Excel facilitated creation of supportive tables with thematic categories and the analysis of the collected data.

4. Review findings

This section provides an overview of the SLR findings and presents the classified themes and categories that embrace the system thinking and complexity theory, with the view of underlining the relevance and application of complexity elements into generic modelling aspects when using simulation.

4.1. Journals

This section provides an overview of the distribution of the selected papers by journal, thematic categories identified and most often used simulation modelling techniques. The review revealed that the majority (66%) of selected studies were published in four journals: International Journal of Production Research (IJPR), International Journal of Production Economics (IJPE), European Journal of Operational Research (EJOR) as well as Computers and Industrial Engineering (CIE) as highlighted in Figure 2. This indicates the most often researched areas are related to production and manufacturing, as per journals' aims and scope (Taylor and Francis 2013, Elsevier 2014). The selected journal papers covered the following research domains spanning from OM, OR&MS through Industrial Engineering/Engineering (IE/E), Computer Science (CS), Mathematics (M) to Simulation Process Modelling (SPM) and System Simulation and Modelling (SSM). OM prevailed in research on modelling E2E-SC systems using simulation. Shafer and Smunt's (Shafer & Smunt, 2004) categorisation of studies, which focused on empirical simulation in OM was used as a starting point.




Fig. 2. Distribution of selected studies by journal

Source: Chilmon (2018)

The summary provided by Shafer and Smunt's (Shafer & Smunt, 2004) identified scheduling as the matter of inquiry that was the most recurrent. This was followed by capacity planning and the cellular manufacturing categories. Although, this paper considered thematic categories highlighted by Shafer and Smunt (Shafer & Smunt, 2004), these were viewed from an E2E-SC system perspective. This study identified a set of new categories, which are going to be discussed in the following section.

4.2. Thematic categories

The review of the 255 studies determined that most frequent subjects of inquiry for simulation modelling in E2E-SC systems are SCM and inventory management (categories also identified by Shafer and Smunt (2004)). The current research also established 22 supplementary themes that have not been featured within the classification presented by Shafer and Smunt (Shafer & Smunt, 2004) (presented in italics in Table 2).

Table 2 Classification of papers based on common themes and simulation modelling techniques

Model Theme	Simulation Method Used										
	Antcl (smltS)	DES	SD	ABS	Hbrd	MC/QS	Literature review	OOS	MAS	simulation game	PDS
SCM	36	10	7	8	7	4	3	1	1	1	1
Inventory management	36	12	1	2	2	3	1	1	1		
SC dynamics (Bullwhip)	21	4	14	4	4	5	3	1	1	1	
SC network	20	9	1	1	2	3		1			
Information sharing/ uncertainty	11	8	1	5		3					
SC performance	9	7	3	2	3	1	2				
Production planning and inventory control	15	3	1		2		2		1		
Collaboration (co-ordination)	7	3		8	1	1	1				
SC Design/ redesign	8	7	1	1	2	2					
Manufacturing / remanufacturing	7	3	3	1	2	1	1				1
Modelling	6	4		2	2		3				
Production- Distribution	10	1	1	1	1					1	
Strategy	9		2	2	1	1					
Production Planning & Scheduling	4	2	1		3	3	1				
Transport & Logistics	9	3			1		1				
Reverse SC (Logistics)	4	3	2			1					
Closed Loop SC	4	1	4		1						
SC risk	4	3		1	1		1				
Process management	4	2	1	1	1						
Order Fulfilment	4	1	1		2						
Capacity planning / management	2	1	3			1					
SC Planning & Control	4			1		1	1				
Purchasing	2			3				1			
DSF (Decision Support framework)	2	2	1								1
NPDiv (new product development)	2	1			1	1	1				
IT	4	1	1								
Forecasting	1	2	2								
Outsourcing	5										
SC resilience	2	2				1					
SC integration/ synchronisation	3	1									
SC Config	3	1									
SC Process (SCP) design	3										
Mass customisation	1	1		1							
System Re-engineering	1	2									
Physical Internet (PI)	3										
Resource allocation/sharing	2										
Batching / Batch processing		1	1								
NPDif (new product diffusion)			1	1							
Manpower Planning			1								
Exogenous shock		1									
Behavioural operations										1	
Machine learning	1										
Extended Producer Responsibility (EPR)	1										

The newly identified themes presented in italics in Table 2 highlight that the highest number of studies focused on SC dynamics (Bullwhip Effect), with high significance also devised to SC network, information sharing/uncertainty, SC performance, SC collaboration (co-ordination), SC design, modelling moving onto production distribution and transport and logistics. This extends beyond Shafer and Smunt's (2004) selection of themes into categories that not only cover features of entire E2E-SC systems, but also highlight the heterogeneity of the SCM doctrine and how it impacts on modelling E2E-SC. In fact, many of the additional themes have proved to have a noteworthy impact on SCs behaviour, dynamics or structure and were considered in order to enrich the knowledge on E2E-SCs and its properties i.e. the study of Cannella et al. (2008), which investigated the impact of SC dynamics on inventory management and the entire system performance.

It can be observed that in the past years, the research efforts in modelling E2E-SCs have veered towards SCM adopting varied frameworks or classifications. The SCM is one the most frequently used categories predominantly featured in research studies adopting analytical method supported by simulation study modelling technique. These have not only emerged from quantitative aspects and modelling techniques, but persist to be derivatives of various epistemological dimensions (Soni & Kodali, 2013). These epistemological dimensions are reflected in the thematic categories identified in Table 2 where the knowledge is developed by studying various structural elements of an E2E-SC such as policies, flows, processes, products, strategies. Furthermore, the complex nature of E2E-SC systems goes beyond structure into the organisational and behavioural aspects with more sophisticated modelling techniques being used. This has culminated in the shift of the OM philosophy towards a more radical approach and appreciation of a wider range of disciplines thus embracing their contribution to the generic SC field and knowledge development. The next section will focus on discussing the simulation modelling techniques used to model the heterogeneity of the research on E2E-SC systems.

4.3. Simulation methods

Simulation modelling techniques have been explicitly used within research on topics that consider the interface between various cross-disciplinary areas within complex systems. The following aspects should be considered before choosing simulation as an appropriate modelling technique (Shannon, 1975):

- No mathematical formulation could solve the problem in hand, or a mathematical problem has no analytical resolution methods,
- Simulation is the most applicable and less costly tool,
- The requirement is to observe the SC performance over time.

Modelling complex E2E-SCs is not a trivial exercise and all the above-mentioned points would almost certainly apply to a higher or lesser extent within studies on such systems, hence the use of a simulation method is quite often observed. For that reason, this method is of an interest within this paper, with the aim to comprehend how and why simulation is used in studies on complex systems as well as how such methodology would apply to modelling E2E-SCs.

The literature shows multiple attempts by Min and Zhou (2002) and Lee and Kim (2002) to classify SC models into either static, dynamic, analytical, deterministic, simulation or hybrid models. The existing classifications appear to have focused on characteristics or particulars of the system to be modelled and/or a specific SC research agenda. Studies that seem to have addressed matters such as SC coordination and system dynamics (Chan & Chan, 2010) often build upon the existing models classifications to further the knowledge on certain SC system aspects or areas. In addition, others focused on definite modelling techniques and looked into the broader application of such modelling methods (Hwang et al. 2005; Chatfield et al., 2007). This research evaluates whether these classifications could apply to modelling E2E-SCs, attempting to gather the elements within simulation methodology that should be regarded as a common 'denominator' in modelling studies' classifications.

The literature reviewed shows the following simulation modelling techniques used to study E2E-SC systems:

- Agent based simulation (ABS) - an approach to modelling systems as autonomous and intelligent entities often incorporating existing decision modelling techniques (i.e., optimization or heuristics) and knowledge from diverse disciplines (game theory, biology, computational intelligence) (Govindu & Chinnam, 2010);
- Discrete-event simulation (DES) - an approach that models the system as activities and queues that change at discrete points of time (Tako & Robinson, 2009);
- System dynamics (SD) - an approach that studies the dynamic behaviour of systems that incorporates a feedback concept into the system model and uses visual representation which is then translated into mathematical formulas by computer software (Poles, 2013);
- Monte Carlo/Queuing simulation (MCQS) - a modelling approach that simulates a system by varying its parameters according to pre-determined distributions in order to obtain statistical inferences (Pezeshki, Baboli, Cheikhrouhou, Modarres, & Akbari Jokar, 2013);
- Analytical Model/ Simulation Study (AM/SS) - a modelling approach that is based on developing complex analytical techniques supported by simulation;
- Hybrid simulation (Hbrd) - a modelling approach based on developing a platform or architecture that combines/mixes two or more modelling techniques (Y. J. Son & Venkateswaran, 2005), (Venkateswaran & Son, 2009);
- Parallel and Distributed Simulation (PDS) - an approach that simulates system as multiple models developed on various computers but run in a co-ordinated manner (Iannone, 2007);
- Object-oriented Simulation (OOS) - a design methodology based on objects and classes, where the objects define a structure of the model and classes comprise of generalisations of certain objects which share the same data structure of behaviour.

These modelling techniques have been used to address a specific aspect/s within selected thematic categories. The review presents the most significant modelling approaches starting from purely simulation techniques such as ABS, DES and SD through MC/QS and closes the classification with mixed or combined modelling approaches, where simulation has been used alongside other modelling technique/s. The classification presented also considers object-oriented modelling or parallel and distributed simulation, however, it was observed that these modelling approaches were often derived from one of the other categories presented above. A summary of all simulation methods used is presented in Table 3. This includes 8 papers that provided literature reviews and two papers which discussed the benefits of developing a simulation game to provide a practical explanation of theories surrounding SCM or bullwhip effect. These papers did not discuss the modelling approach taken hence were kept as separate categories.

The review found that majority of the selected papers seemed to have focused on analytical models as a primary research approach and a simulation study was conducted to address computational difficulties or to enlarge the scope of the model. Moreover, it has been observed that a simulation technique has been often used within E2E-SC as a facilitator, helping to solve otherwise difficult mathematical problems, i.e. solution to intractable mathematical calculations or as a search engine for the optimal or near optimal input/output parameters that are to be considered in the mathematical formulation (Chiu & Huang, 2003).

It has been noticed that more often research combined different methodologies with simulation such as in Rabelo et al. (2007), where neural networks were used to build on the knowledge gained from developed SD simulation model to learn and identify the impacts as well as consequences of changes in key parameters on SC system behaviour. In that case a sequential use of simulation and artificial intelligence methods has been observed.

Table 3 Count of Simulation methods used per journal

Count of Title	Simulation method used											
Source title	ABS	Antcl (smtS)	DES	Hbrd	Literature review*	MAS	MC/QS	OOS	PDS	SD	simulation game	Grand Total
AOR		3										3
CIE	2	13	5	2	1		1			1		25
COR	1	4		1						2		8
DS		1										1
EJOR	2	19	2	1			2			2		28
IEEE-TEM			1	1								2
INFCS		4								1		5
IJMS	1			1				1				3
IJOPM		2					1					3
IJPDLM			3	1	1					1		6
IJPE	5	24	10	4	1		5			2		51
IJPR	8	31	13	5	2		4			4		67
IJSPM		1	4	1			1				1	8
IJSIMM		5								1		6
IJ:SCM			1		1							2
JOM		3					1			1		5
JOS		1										1
JORS	1	2		1	1			1	1	1		8
OME		4	1	1		1						7
OR		2										2
POM		2					1			1	1	5
SMPT	2	1	3	1	1			1	1	2		12
Grand Total	22	122	43	20	8	1	16	3	2	19	2	255

Parallel and distributed simulation models simulate system as multiple models developed on various computers but run in a coordinated manner often interconnected via a local or wide network (Iannone, Miranda, & Riemma, 2007). Such simulation models can be based on existing simulation technique as observed in Roy and Arunachalam (2004), where DES was utilized and large scale simulation models developed on multiple processors. This method has been considered as a part or characteristic of one of the above identified simulation modelling techniques. Research in modelling SC systems provides a wide range of detailed and often dedicated simulation models, which are difficult to replicate to other business types or SCs. Nevertheless, there is a lack of a generic modelling framework that brings a

holistic, yet simple to follow and understand view of an E2E-SC system to allow decision makers to adopt, change, manipulate and perform desired scenario analysis.

The identified simulation modelling techniques were further summarised in Table 4. The main research findings are described for each of the modelling techniques within selected studies as well as the potential challenges and issues in applying such methodology to modelling E2E-SC systems.

Table 4 Review of end-to-end supply chain modelling techniques

Modelling Method	Summary of research findings / challenges and issues	Authors
Agent Based Simulation (ABS)	<p>Multi-agent (MA) approach allows modelling SC as a network or a system of intelligent business units with hierarchical and autonomous characteristics.</p> <p>ABS method used to model SCs behaviour capturing non-linear decisions making and impact of various operational and strategic policies.</p> <p>Agents' techniques allow incorporating knowledge from other disciplines i.e. social science aspects and incorporating them into the model.</p> <p>Multiple, complex and interacting components of an E2E-SC system studied as complex adaptive system; agent software engineering approach is capable to capture emergent behaviour of agents in the complex system.</p> <p>Considers interactions between decision maker and quantitative model equations by creating artificial intelligence developed as a computer program.</p> <p>Intelligent agent technology permits to model vertical and horizontal processes within SC structures, where multi-agents replicate SC partners, who exchange information, collaborate, negotiate or make operational or strategic decisions.</p> <p>Agents possess normative characteristics allowing for regulation of SC system behaviour during simulation run.</p> <hr/> <p>Requires skilled programmer to develop agents and apply changes as models often developed to handle specific problem or context.</p> <p>Research work focused on focal company or on solving/addressing particular problem.</p> <p>Lack of studies/models representing E2E-SC.</p> <p>ABS or MA simulation models may be difficult to validate, and analysis of results may be difficult to explain.</p>	<p>(Albino, Carbonara, & Giannoccaro, 2007; Allwood & Lee, 2005; Amini, Wakolbinger, Racer, & Nejad, 2012; Caridi, Cigolini, & De Marco, 2005; Chong, Wang, Yue Tan, & Cheong, 2014; H. Dai, Lin, & Long, 2014; Datta & Christopher, 2011; Roberto Dominguez, Cannella, & Framinan, 2014; Ferreira & Borenstein, 2011; Govindu & Chinnam, 2010; Kaihara, 2001; Labarthe, Espinasse, Ferrarini, & Montreuil, 2007; J. S. K. Lau, Huang, & Mak, 2004; G. Li, Yang, Sun, Ji, & Feng, 2010; J. Li & Sheng, 2011; J. Li, Sheng, & Liu, 2010; Meng, Li, Liu, & Chen, 2017; K. J. Mizgier, Wagner, & Holyst, 2012; Ponte, Sierra, de la Fuente, & Lozano, 2017; C. Yu, Wong, & Li, 2017; D. Z. Zhang, Anosike, Lim, & Akanle, 2006; W. G. Zhang, Zhang, Mizgier, & Zhang, 2017)</p>
Discrete Event Simulation (DES) Object Oriented Simulation (OOS)	<p>DES used to examine different aspects relative to E2E-SC systems, for instance SC configurations considering given set of operational parameters, in terms of number of SC levels, echelons, policies and linkages</p> <p>Design of Experiment (DoE) is often used to evaluate various simulation scenarios</p> <p>SC boundaries are set depending on the criticality of the processes and flow of materials and information</p> <p>DES often used for modelling operational aspects of SCs; incorporating OM/MS and OR techniques within simulation model, for example integrating Excel</p>	<p>(Alqahtani & Gupta, 2017; E. Bottani & Montanari, 2010; Byrne & Heavey, 2006; Carvalho, Barroso, MacHado, Azevedo, & Cruz-Machado, 2012; Cigolini, Pero, Rossi, & Sianesi, 2014; Francesco Costantino, Gravio, Shaban, & Tronci, 2015; Dev, Shankar, Dey, & Gunasekaran, 2014; Duarte, Fowler, Knutson, Gel, & Shunk, 2007; Elia & Gnoni, 2015; Fridgen, Stepanek, & Wolf, 2015; Gumrukcu, Rossetti, & Buyurgan, 2008; Gupta, Ko, & Min, 2002; Hwang, Chong, Xie,</p>

	<p>spreadsheet with Arena simulation software through Visual Basic for Applications (VBA).</p> <p>Uses hierarchical approach to modelling, which provides a ground for varying level of simulation details i.e. relative to SC processes.</p> <p>Optimization is featured in Arena simulation software allowing for quick change of input parameters and search for the best combination of those parameters so as to achieve optimal output performance through set of simulation runs. This allows for greater level of experimentation.</p> <p>Existing Simulation Software Packages like eM-Plant, Anylogic, Arena etc. can be further advanced through programming efforts to incorporate analytical relations to simulation inputs and outputs.</p> <p>DES can be used to create meta-models involving user interface with databases, software application written in general purpose programming and ad hoc library of objects written in the simulation language</p>	<p>& Burgess, 2005; Ivanov, 2017; Jammerneegg & Reiner, 2007; Long, 2014; Francesco Longo, 2014; F. Longo & Mirabelli, 2008; Lyu, Ding, & Chen, 2010; Martínez-Olvera, 2008; Mishra & Chan, 2012; Kamil J. Mizgier, 2017; Pan, Nigrelli, Ballot, Sarraj, & Yang, 2015; F. Persson, 2011; F. Persson & Araldi, 2009; Fredrik Persson, Olhager, Tekniska, Linköpings, & Institutionen för, 2002; Pirard, Iassinovski, & Riane, 2011; Pundoor & Herrmann, 2007; Sari, 2007; A. J. Schmitt & Singh, 2012; T. G. Schmitt, Kumar, Stecke, Glover, & Ehlen, 2017; Stefanovic, Stefanovic, & Radenkovic, 2009; Tannock, Cao, Farr, & Byrne, 2007; Thron, Nagy, & Wassan, 2006; Van Der Vorst, Beulens, & Van Beek, 2000; Van Der Vorst, Tromp, & Van Der Zee, 2009; J. Venkateswaran & Son, 2004; Verma, 2006; Wadhwa, Mishra, Chan, & Ducq, 2010; Wikner, Naim, & Rudberg, 2007; Xudong, Kumar, & Tan, 2008; C. Zhang & Zhang, 2007; Hung, Kucherenko, Samsatli, & Shah, 2004; Rossetti & Thomas, 2006; Xiang & Rossetti, 2014)</p>
System Dynamics (SD)	<p>Simulation usually limited in scope; considering one or limited number of products and processes; focusing on deterministic assumptions, focusing on objectives of focal company.</p> <p>Further work required to allow integration of existing information technology developments (i.e. EDI) into simulation model.</p> <p>SD method used to simulate dynamic movements in SCs. This modelling technique is derived from control theory and causal loop diagrams, which allow defining SC structure and its flows as well as feedback loops. The method is based on mathematical formulation consisting of system of differential equations, which is solved via simulation.</p> <p>Focused on system thinking and is not data driven.</p> <p>This modelling method is primarily used to study aspects relative to Bullwhip Effects in the SCs considering the impacts of various SCM techniques such as products returns, remanufacturing or recycling within forward or closed loop SCs on the entire SC performance.</p> <p>Used to study hybrid business models i.e. considering combination of two different strategies make-to-order (MTO) and make-to-stock (MTS).</p> <p>Control parameters used within the model which affect the forward and feedback loops particularly when stochastic parameters are considered.</p> <p>Often used to model dynamics in automobile SCs.</p>	<p>(Anderson Jr, Fine, & Parker, 2000; Barlas & Gunduz, 2011; Das & Dutta, 2013; Georgiadis & Athanasiou, 2013; Helo, 2000; Higuchi & Troutt, 2004; Hofmann, 2017; Holweg, Disney, Hines, & Naim, 2005; Hussain & Drake, 2011; Martínez-Olvera, 2009; Moreno, Mula, & Campuzano-Bolarin, 2015; Özbayrak, Papadopoulou, & Akgun, 2007; Pierreval, Bruniaux, & Caux, 2007; Poles, 2013; Rabelo, Helal, Lertpattarapong, Moraga, & Sarmiento, 2008; Spengler & Schröter, 2003; Springer & Kim, 2010; Vlachos, Georgiadis, & Iakovou, 2007; Wangphanich, Kara, & Kayis, 2010)</p>

	<p>Powerful simulation packages such as Vensim, iThink, Powersim or Stella are used to enhance model functionality, capacity and performance. Although, the advancement in these tools capabilities allow for optimization and are geared more towards business managers, there is still lack of E2E-SC system models and guidance on how to develop such models.</p>	
<p>Analytical Model/ Simulation Study (AM/SS)</p>	<p>Simulation often used to facilitate development of analytical models that combine multiple mathematical techniques and various SCM strategies to better understand the effects of interactions amongst factors in complex E2E-SC systems, allowing to:</p> <ul style="list-style-type: none"> • Perform multiple scenario analysis so as to capture different SC strategies, policies, configurations, designs or uncertain parameters. • Search for optimal or near optimal solutions in combinatorial optimization of large-scale problems with stochastic parameters. • Gain further insides into SC designs by incorporating complex OR techniques into the model scope so more echelons, layers, products, processes etc. can be considered. <p>Results of analytic models can be incorporated into a simulation model to study SC related problems over a period of time (also to consider statistical distribution in the place of various stochastic parameters).</p> <p>Simulation aids experimentation on complex analytical models so the knowledge from various cross-disciplinary fields such as natural sciences, physics or biology can be incorporated and the further impact on E2E-SC system performance can be analysed and evaluated.</p> <p>Models are usually derived from well-established and known mathematical formulation relative to modelling SC systems such as inventory management methods (particularly surrounding SC dynamics and bullwhip effect), production planning and control, SCM strategic decisions, production and distribution.</p> <p>Simulation provides an arena for manipulating parameters within complex analytical models so as to aid decision maker with the most suitable operational, tactical or strategic solutions or trade-offs.</p> <p>Analytical models and analytics can add value to holistic SCM by considering information and data, which are cross-functional, spanning multiple system levels and focusing on historic and future time dimensions.</p>	<p>(Abdel-Malek, Kullpattaranirun, & Nanthavanij, 2005; Yavuz Acar & Atadeniz, 2015; Y. Acar, Kadipasaoglu, & Schipperijn, 2010; Ahire, Gorman, Dwiggin, & Mudry, 2007; Ali & Boylan, 2011; Altiparmak, Gen, Lin, & Karaoglan, 2009; Arora & Kumar, 2000; Banerjee, Banerjee, Burton, & Bistline, 2001; Bayraktar, Lenny Koh, Gunasekaran, Sari, & Tatoglu, 2008; Beamon & Chen, 2001; Ben-Tal, Golany, & Shtern, 2009; Biehl, Prater, & Realff, 2007; Eleonora Bottani, Montanari, Rinaldi, & Vignali, 2015; Boulaksil & Fransoo, 2009; Brabazon & MacCarthy, 2017; Caggiano, Jackson, Muckstadt, & Rappold, 2009; Salvatore Cannella, Bruccoleri, & Framinan, 2016; Chaharsooghi & Heydari, 2010; Chebolu-Subramanian & Gaukler, 2015; Chen & Huang, 2006; Chern, Chen, & Huang, 2014; Chiu & Huang, 2003; Ciancimino, Cannella, Bruccoleri, & Framinan, 2012; Çimen & Kirkbride, 2017; F. Costantino, Di Gravio, Shaban, & Tronci, 2014; Daganzo, 2004; Daultani, Kumar, Vaidya, & Tiwari, 2015; De Sensi, Longo, & Mirabelli, 2008; Diabat, 2014; Disney & Towill, 2002; Dixit, Seshadrinath, & Tiwari, 2016; R. Dominguez, Framinan, & Cannella, 2014; Fan, Schwartz, & Voß, 2017; Fleischhacker, Ninh, & Zhao, 2015; Fleischmann, Van Nunen, & Gräve, 2003; Fröhling, Schwaderer, Bartusch, & Rentz, 2010; Fu, Ionescu, Aghezzaf, & De Keyser, 2015; Ganeshan, Boone, & Stenger, 2001; Garvey, Carnovale, & Yenyurt, 2014; Gaukler, Ketzenberg, & Salin, 2017; Giannoccaro & Pontrandolfo, 2002; Gill, 2009; Gomez Padilla & Mishina, 2009; Gong, Liu, & Lu, 2015; Govindan & Fattahi, 2017; Güller, Uygun, & Noche, 2015; Haines, Hough, & Haines, 2017; Ho, 2007; Hsu & Liu, 2009; Karaman & Altiok, 2009; Kauremaa, Småros, & Holmström, 2009; Khilwani, Tiwari, & Sabuncuoglu, 2011; Klassen &</p>

However, analytic models are limited in scope as the computational calculation tractability is too difficult when consideration is given to complex E2E-SC systems; hence simulation is often used as a facilitator.

Research is required to progress the knowledge on various ways to mix or combine analytics with simulation to address more complex issues within E2E-SC systems.

Menor, 2007; Kull & Closs, 2008; Lai, Wu, Shi, Wang, & Kong, 2015; R. S. M. Lau, Xie, & Zhao, 2008; C. Li & Liu, 2012; M. Li, Wu, Zhang, & You, 2015; Y. Li, Niu, Zhao, & Wang, 2017; C. W. R. Lin & Chen, 2003; G. Lin et al., 2000; Liu & Nagurney, 2011, 2013; Ma & Ma, 2017; Mahnam, Yadollahpour, Famil-Dardashti, & Hejazi, 2009; Manuel, Al-Hamadi, & Qureshi, 2015; Marquez, Bianchi, & Gupta, 2004; Martinez-Olvera, 2010; Mateen, Chatterjee, & Mitra, 2015; Meijboom & Obel, 2007; Meixell & Wu, 2005; Mohebbi & Choobineh, 2005; Mousavi, Alikar, Niaki, & Bahreininejad, 2015; Munoz & Dunbar, 2015; Nativi & Lee, 2012; Nekooghadirli, Tavakkoli-Moghaddam, Ghezavati, & Javanmard, 2014; Niranjan & Ciarallo, 2011; Ovalle & Marquez, 2003; Özdemir, Yücesan, & Herer, 2006; Petrovic, 2001; Pezeshki, Baboli, Cheikhrouhou, Modarres, & Akbari Jokar, 2013; Poojari, Lucas, & Mitra, 2008; Qazi, Quigley, Dickson, & Ekici, 2017; Rao, Scheller-Wolf, & Tayur, 2000; Riddalls & Bennett, 2002; Sagawa & Nagano, 2015; Sahin & Robinson Jr, 2005; Salehi, Mahootchi, & Hussein, 2017; Salem & Elomri, 2017; Sarrafha, Rahmati, Niaki, & Zaretalab, 2015; Shu & Barton, 2012; Shu & Karimi, 2009; Shukla, Shukla, Tiwari, & Chan, 2009; Solis, Longo, Nicoletti, Caruso, & Fazzari, 2014; J. Y. Son & Sheu, 2008; Spiegler & Naim, 2017; Surana, Kumara, Greaves, & Raghavan, 2005; Swenseth & Olson, 2016; Temponi, Bryant, & Fernandez, 2009; Tiacci & Saetta, 2011; Tiwari, Raghavendra, Agrawal, & Goyal, 2010; Truong & Azadivar, 2005; Tsadikovich, Levner, Tell, & Werner, 2016; Van Landeghem & Vanmaele, 2002; Viswanathan, Widiarta, & Piplani, 2007; Wadhwa, Saxena, & Chan, 2008; Wang, Wang, & Ouyang, 2015; Warburton, Disney, Towill, & Hodgson, 2004; Yadav, Mishra, Kumar, & Tiwari, 2011; Yan, Robb, & Silver, 2009; Yang, Pan, & Ballot, 2017; F. Yu, Kaihara, Fujii, Sun, & Yang, 2015; B. Zeng & Yen, 2017; Y. Zeng & Xiao, 2014; J. Zhang, Liu, Zhang, & Bai, 2015; L. Zhang, 2015; X. Zhang & Huang, 2010)

Monte Carlo/ Queuing Simulation (MC/Q)	<p>The method allows for continuous review of SCs performance. Samplings from statistical distribution are used in place of uncertain parameters. Based on analytical model or mathematical assumptions.</p> <hr/> <p>Although this method allows for evaluating different control structures and/or varying level of approximation for E2E-SC systems in continuous manner, some technological advancement within this method are required. This method could be developed further to incorporate intelligent features such as learning during simulation runs, whereby through alteration of simulation parameters or simulated policies an intelligent control of inventory, production or distribution could be performed and evaluated.</p>	<p>(Adenso-Díaz, Moreno, Gutiérrez, & Lozano, 2012; Ayanso, Diaby, & Nair, 2006; S. Cannella, Ciancimino, & Márquez, 2008; Cattani, Jacobs, & Schoenfelder, 2011; Celik & Son, 2012; Croson & Donohue, 2003; Z. Dai & Zheng, 2015; Diaz & Marsillac, 2017; Holweg & Bicheno, 2002; Hovelaque, Duvalaix-Tréguer, & Cordier, 2009; Mendoza, Mula, & Campuzano-Bolarin, 2014; Kamil J. Mizgier, Wagner, & Jüttner, 2015; Sanei Bajgiran, Kazemi Zanjani, & Nourelfath, 2017; Sari, 2008; Wu & Olson, 2008)</p>
Hybrid Simulation (Hbrd) Parallel and Distributed Simulation (PDS)	<p>This category considers models that combine simulation with analytical models, other simulation methods, other research methodologies (i.e. case study) or with artificial intelligence.</p> <p>There is varying level of interactions between the techniques, whereby some models present sequential use or combined use of two or more modelling techniques and others more sophisticated architectures, where model runs and connects between methods automatically.</p> <p>The attempts made to use local versus global optimization in hybrid mixed integer linear programming model combined with simulation with the economic benefits being only confirmed in reference to the case study.</p> <hr/> <p>Further work is required to develop/enhance iterative procedures for combining simulation with various modelling techniques.</p> <p>Hybrid models provide scope for developing and building upon all of the above presented techniques, yet require clear framework to ensure validity, tractability and replicability.</p>	<p>(Arns, Fischer, Kemper, & Tepper, 2002; Brandenburg, 2017; Chatfield, Hayya, & Harrison, 2007; Cigolini, Pero, & Rossi, 2011; Hlioui, Gharbi, & Hajji, 2015; Iannone, Miranda, & Riemma, 2007; Lee, Cho, Kim, & Kim, 2002; Lee & Kim, 2002; Moghaddam, 2015; Pathak, Dilts, & Biswas, 2007; Rabelo, Eskandari, Shaalan, & Helal, 2007; Reiner, 2005; Rijpkema, Rossi, & G.A.J. van der Vorst, 2014; Roy & Arunachalam, 2004; Shang, Li, & Tadikamalla, 2004; Shi, Liu, Shang, & Cui, 2013; Y. J. Son & Venkateswaran, 2007; Vahdani, Zandieh, & Roshanaei, 2011; Vamanan, Wang, Batta, & Szczerba, 2004; J. Venkateswaran & Son, 2009; J Venkateswaran & Son*, 2005)</p>

Source: Chilmon (2018)

The research in modelling E2E-SC systems requires more simplistic yet flexible and ingenious models that are easy to implement and reuse. Cattani et al. (2011) pointed out that one way to do so is by developing an approach that could use intelligent heuristics that are embedded into simulation methodology and are able to learn in time and utilize the acquired knowledge during a simulation run. To address this need and to guide the research agenda, the next section will investigate which generic elements are required to model E2E-SC systems using simulation. This is to appreciate the theoretical perspective, concepts and aspects or issues relative to the research topic.

5. Modelling consideration for an E2E-SC using simulation

Modelling an E2E-SC system using simulation topic is an area worth investigating and so is broadening the knowledge and understanding of generic elements of an E2E-SC simulation model. This research applies a paradigmatic view on modelling activity, where the modelling concepts are built upon fundamentals of complexity theory, systems thinking and simulation methodology. This has been achieved by reviewing SLR selected studies that exclusively incorporated complexity within the title, abstract or key words with the aim to capture generic modelling principles relative to E2E-SCs (Table 5). These were viewed through paradigmatic lenses (Morin, 1992) and were classified under structural, computational and system organization artefacts as depicted in Figure 3.




Fig. 3. Generic elements for modelling E2E-SC system using simulation

Source: Chilmon (2018)

Complexity in an E2E-SC system refers to the structural, computational and systemic organizational differentiation or variety that may exist in an organization or any E2E-SC system under consideration (Choi & Hong, 2002). The complexity of the model can arise from the number of sub models used to depict the level of differentiation in the structure and organization as well as the number of mathematical techniques applied. Horizontal complexity refers to the number of elements/components, for instance the number of products or the number of modelling objectives. Various elements such as number of products, policies or echelons/nodes are often spanning across multiple levels with parts belonging to the same echelon, but having different characteristics (Hwang et al., 2005), hence requiring different mathematical (OR) techniques to depict interactions/relationships within an E2E-SC system. This can be referred to as a vertical complexity (Choi & Hong, 2002).

Table 5 Complexity factors relative to E2E-SC

No	Author	Journal	Key elements	Complexity drivers	S	C	SO
1	Abdel-Malek, Kullpattaranirun, and Nanthavanij (2005)	IJPE	Purchasing, Outsourcing, DSF	<ul style="list-style-type: none"> parent company and 4 supply layers with different order arrival rates and service rates (Levels) queuing model- Markovian assumption of sojourn times of orders in process at various levels in SC; considering SS, LT (computational- simulation experiments used to compare the Markovian analytical results to non-Markovian ones, OR mathematical technique) 	✓	✓	
2	Arora and Kumar (2000)	INFCS	SC (enterprise) re-engineering	<ul style="list-style-type: none"> dynamics of SC system environment that creates challenges is setting SC system model boundaries (dynamics, boundaries), capturing and selecting all relevant interactions between system and the environment i.e. system, subsystem components (interactions, levels) challenge in categorization of system and environment variables (input/output limitations) 	✓	✓	✓
3	Ayanso, Diaby, and Nair (2006)	EJOR	Inventory system, SCM	<ul style="list-style-type: none"> complexity of decision-making environment affected by LT, demand uncertainty; cost and distribution variability in the multi-channel distribution SC (uncertainty, structural variance); computer simulation used to understand interaction effects of the variables on the proposed rationing policy (interaction, decision impact, OR mathematical technique) 	✓	✓	✓
4	Byrne and Heavey (2006)	IJPE	SC Visibility	<ul style="list-style-type: none"> multiple product with differing demand pattern flow through multi-echelon SC, capacity constraints (products, echelons, flows, structural variance) the following independent parameters: forecasting methods; Simple moving average (SMA) and double exponential smoothing (DES) as well as demand pattern, information sharing, capacity, LT, transportation, order processing, production set up, inventory cost and backorder policies. (OR mathematical techniques, modelling assumptions, input/output assumptions) 	✓	✓	✓
5	Carvalho, Barroso, MacHado, Azevedo, and Cruz-Machado (2012)	CIE	SC design	<ul style="list-style-type: none"> SC interconnecting links, relations e.g. number of nodes, facilities within each node, policies, processes (interconnections/linkages, echelons/nodes, policies, processes, SC performance measure) simulation model inputs comprised of demand data, product (vehicle) subset material tree, inventory data, resource data, costs data and transportation data (modelling assumptions, input/output limitations) 	✓	✓	✓
6	Dai, Lin, and Long (2014)	IJPR	SCM	<ul style="list-style-type: none"> SC complexity enhanced due to multiple actors, units with conflicting objectives, dynamic, stochastic, uncertain and evolving nature, fractal approximate self-similarity of SC systems structure and organisation (SC structure, evolution in time, uncertainty, dynamics, relationships, interactions, modelling approximations) 	✓	✓	✓
7	Dominguez, Cannella, and Framinan (2014)	CIE	Bullwhip Effect, SC network	<ul style="list-style-type: none"> Multiple stages in the SC (horizontal complexity) and multiple nodes per stage (vertical complexity) divergent SC network structure impact on the computational results versus those achieved in serial SC 	✓	✓	
8	Dominguez, Framinan, and Cannella (2014)	IJPR	Bullwhip Effect, SC network	<ul style="list-style-type: none"> computational technique (Smoothing replenishment rule) used to improve SC performance (OR mathematical techniques, performance measures) 	✓	✓	

9	Hwang, Chong, Xie, and Burgess (2005)	IJPR	SC integration, SCM	<ul style="list-style-type: none"> multiple levels (echelons) oversimplified assumptions that is assumed distributions rather than distributional parameters based on real data (modelling assumptions) 	✓	✓
10	Iannone, Miranda, and Riemma (2007)	SMPT	SCM, performance evaluation	<ul style="list-style-type: none"> technological obstacles to integration of distributed SC simulation models across geographical locations, complex interdependencies between SC participants (input/output limitations, interdependencies) 	✓	✓
11	Khilwani, Tiwari, and Sabuncuoglu (2011)	IJPR	SC network design	<ul style="list-style-type: none"> discrete event timings interactions in the model relative to customer arrival, manufacturing of products (interactions, products, processes) generalizability and simplifications but including all production processes requiring hierarchical simplification (modelling assumptions/approximations) 	✓	✓
12	C. Li and Liu (2012)	SMPT	Order Management	<ul style="list-style-type: none"> dynamic behaviour as a result of interactions between players/actors causing order amplification in multi-stage SC system (dynamics, interactions, echelons/nodes) 	✓	✓
13	G. Li, Yang, Sun, Ji, and Feng (2010)	IJPE	SCM, SC network	<ul style="list-style-type: none"> evolving organisational SC structures and functions (evolution in time) diversity of interconnections and relations, collaboration that changes/evolves subject to various factors and changes in the environment (interconnections, learning objectives) dynamics of the model entities (dynamics) 	✓	✓
14	Long (2014)	IJPR	SCN	<ul style="list-style-type: none"> hierarchical framework based on SCOR- structure modelling and ABS – function modelling 	✓	
15	Mishra and Chan (2012)	IJPR	Manufacturing	<ul style="list-style-type: none"> computational difficulty in process planning of distributed manufacturing SC 	✓	
16	Mizgier, Wagner, and Holyst (2012)	IJPE	SCM, production	<ul style="list-style-type: none"> SC network structure affected by interconnection channels logistical system interconnection density production dynamics due to number of stages, products, periods and economic environment 	✓	✓
17	Özbayrak, Papadopoulou, and Akgun (2007)	SMPT	Manufacturing	<ul style="list-style-type: none"> SC structure with many variables and linkages 	✓	
18	Surana, Kumara, Greaves, and Raghavan (2005)	IJPR	SC coordination	<ul style="list-style-type: none"> interactions and interdependencies between entities, processes and resources (interdependencies, processes, resources) SC structure spanning several levels, which evolves and self-organizes over time (evolution in time) highly structured hierarchical robust SC system prone to disturbances 	✓	✓
19	Tannock, Cao, Farr, and Byrne (2007)	IJPE	Manufacturing	<ul style="list-style-type: none"> SC interconnections and variability in performance affected by those connections (Interconnections) product, process complex structure attributable to the SC type (aerospace) 	✓	✓
20	Temponi, Bryant, and Fernandez (2009)	EJOR	Strategy	<ul style="list-style-type: none"> aggregated enterprise model that considers multiple business functions with interacting elements (structural variance) various business functions modelled as sub-models and described with differential equations (OR mathematical techniques) 	✓	✓
21	Venkateswaran and Son (2004)	IJPR	SC modelling	<ul style="list-style-type: none"> level of model details and approximations used to model the SC (model assumptions/ approximations) 	✓	✓

22	Vlachos, Georgiadis, and Iakovou (2007)	COR	Capacity Planning, Reverse SC	• variability in return flows impact on the capacity planning for remanufacturing process (flows)	✓
23	Wikner, Naim, and Rudberg (2007)	IEEE-TEM	Mass customization, manufacturing,	• dynamics (uncertainty) of the environment (customer demand)	✓
24	Wu, Frizelle, and Efstathiou (2007)	IJPE	SCM	• SC structure defined by the expected amount of information (entropy) to describe the state of planned system and operational complexity determined by amount of information required to describe system deviation from the plan (deterministic parameters, input/output limitation, learning objectives)	✓ ✓ ✓
25	Zeng and Xiao (2014)	IJPR	SCN	• modelling used to address cascading failure spread in cluster SCN (layers)	✓

S-structural complexity, C- computational complexity, SO- systemic organisational complexity, LT-lead time, SS- safety stock, SP-stockout probability, MTO- make to order
Source: Chilmon (2018)

The number of products, flows, processes and/or services offered could amplify the complexity in modelling E2E-SCs together with the type and characteristics of each of these elements (Adenso-Diaz et al., 2012; Byrne & Heavey, 2006; Min, 2009; Carvalho et al., 2012). Likewise, the modelling process would require setting clear objectives and performance measures as those would determine the boundaries of the considered system, number of elements as well as links between them. These were also included under the structural part, which focused on the holistic elements of an E2E-SC, where parts and the whole of a simplified system could be recognized and represented in one model. These referred to varied structural complexity factors such as number of echelons, players or parties within each echelon, SC layers, number of products or processes as well as system boundaries.

The second group emerged as concepts relative to simulation modelling and the inherent computational complexity. For instance in Abdel-Malek et al. (2005), a structural dimension of the multi-level SC was modelled as a series of tandem queues to account stochastic parameters and provide relevant assumptions. Multiple computational factors need to be considered when modelling E2E-SC system. These are often used to allow for greater representation of any E2E-SC system, particularly because modelling more often involves multi-disciplinary aspects relative to any of those identified under SLR theme/s.

The study isolates the complexity factors as embedded within multi-dimensional aspects that derive from three categories: Structural, Computational and a further complexity element being linked with the SO aspects. These factors are often interrelated hence present a distinctive approach towards modelling issues relative to complex E2E-SCs. This is corroborated in various studies; for instance, Arns et al. (2002) provide a hybrid model that adopts a hierarchical modelling approach to reduce the computational complexity, allowing the aggregation of various sub-models through different approaches (i.e., Queuing Network and Petri nets).

Supply Chain Operations Reference (SCOR) model has also been incorporated within many studies as a way to define and/or map SC processes given its standard functionality (Long, 2014; Carvalho et al.,

2012; Petersen et al., 2011; Persson & Araldi, 2009; Pundoor & Herrmann, 2007; Rabelo et al., 2007).

Pundoor and Herrmann (2004) proposed a SC simulation model based on Discrete Event Simulation (DES) and SCOR model to study the dynamic nature of the SC incorporating multiple level elements that permit the addition of extra features. Dynamic behaviour of the SC system instigated by supply, demand or lead time uncertainties has similarly been modelled by Pirard et al. (2011), where the work presented by the authors evaluates various SC design scenarios under different control policies that were applied to inventory management, scheduling and production activities. Within their study, the decision maker was involved in optimizing the selected elements (rules) in the model to improve the SC system performance.

Simulation capabilities have also been employed in detailed process modelling to support decision-making procedures as in Fröhling et al. (2010), where consideration was given to the integration of complex SC planning processes. The authors presented an innovative application of OR techniques to closed-loop SC and designed a recycling process model that allocated residues from different sources to recycling sites. Simulation methodology further supplements the computational constructs by elucidating its importance and complex relation with other elements.

Moreover, representation of such complex SC system may require multiple models due to the scale of changes and interactions between elements within system. This can be observed in many of the selected papers, where a singular model was not capable to capture or reflect all aspects of the modelled system or to fully fit with the purpose of a system model. This often determines the use of multidisciplinary modelling techniques where simulation methodology is combined with other OR&MS models/techniques. Computational factors considered in Table 6 are relative to modelling techniques that were used in the selected studies and deemed particularly relevant in simulation modelling of an E2E-SC system.

Table 6 OR/MS mathematical techniques

OR/MS mathematical techniques	
Category	Specification
Optimization, mathematical programming	Multi-echelon, multi-objective optimization
	Multi-echelon inventory allocation problem (4 allocation schemes: lexicographic with priority to intermediate demand, lexicographic with priority to downstream demand, predetermined proportional allocation, and proportional allocation) to search for the best base-stock level (Niranjan & Ciarallo, 2011)
	Integer programming (IP) model with Taguchi technique and Artificial Immune System (AIS) to search for a near optimal solution to the distribution problem (Shang et al., 2004)
	Taguchi technique and Response Surface Methodology (RSM) (Tiwari et al., 2010)
	Stochastic optimization problem solved using an Infinitesimal Perturbation Analysis procedure (Total Cost minimization) (Özdemir et al., 2006)
	2-stage stochastic IP (Liu & Nagurney, 2013); (Poojari et al., 2008)
	Chance Constrained Programming for SC risk evaluation (D. Wu & Olson, 2008)
	Mixed-integer Quadratic model to address SC co-ordination (Pezeshki et al., 2013)
	Mixed-integer linear programming (MILP) model with decomposition technique (Profit maximization) (Meijboom & Obel, 2007)
	Dynamic Allocation Problem with uncertain supply (DAP-US) addressed by developing a two-stage extended Genetic Algorithm (eGA) (C. W. R. Lin & Chen, 2003)
	Automatic Pipeline, Inventory and Order Based Production Control System (APIOBPCS) algorithm (transfer function model of the system developed using causal diagrams, block diagrams, difference equations and z-transform) (Disney & Towill, 2002a)
	Robust optimization to control serial multi-echelon, multi-period SC (Ben-Tal et al., 2009)
	Minimum Flow Time Variation (MFV) rule for customer order scheduling (Hsu & Liu, 2009)
Heuristics	Heuristics for inventory balancing and transshipment policy to minimize the overall cost (Tiacchi & Saetta, 2011)
	Metaheuristics optimization; Inventory model that incorporates fuzzy sets and multi-objective Particle Swarm Optimization (Cost minimization) (Mahnam et al., 2009)
	Heuristics of Capacity utilization, variability and inventory (CVI) in complex SC operations (Klassen & Menor, 2007)
	Heuristic algorithms for strategic safety stock placement problem that use simulation to compare results for iterative LP and MIP approximation of (Shu & Karimi, 2009)
	Evolutionary algorithm (EA) –AIS used for batch sequencing in multi-stage SC, Fuzzy Set Numbers combined with Program Evaluation and Review Technique to analyse Supply chain network (SCN) (Vahdani et al., 2011)
Forecasting	Moving average (MA), Exponential Smoothing ES (DES, SES, TES), regression (multiple-regression) (Anderson Jr et al., 2000); (Bayraktar et al., 2008)
Intelligence	Petri nets (PN)- hybrid, generalized, stochastic, deterministic and stochastic (Arns et al., 2002)
	Steady State Genetic Algorithm (ssGA) for SCN design (Altıparmak, Gen, Lin, & Karaoglan, 2009)
	Queueing Network (QN) (Arns et al., 2002)
	Markov decision process supported by Reinforced Learning (RL) to control inventory policies between multiple actors in SC (Giannoccaro & Pontrandolfo, 2002)
	Neural Nets (NN); Eigenvalue Analysis to evaluate SD model outputs (Rabelo et al., 2008)
	Complex Adaptive System (CAS) (Surana et al., 2005)
	SCN modelled as CAS and Fitness Landscape Theory to highlight evolutionary complexities of such SC systems (G. Li et al., 2010)

Source: Chilmon (2018)

It has been observed that the computational complexity is relative to OR&MS mathematical techniques used to model an E2E-SC system. Those techniques consider such fields of modelling as optimization, mathematical programming, heuristics, forecasting, project management and intelligent state-of-art methods. Some of the specificities of such techniques are presented in Table 6 together with the reason for use.

It has been noted that the computational complexity is derived from developments as well as a technological shift in modelling where a new era of combining modelling approaches prevails, particularly observed in hybrid and AM/SS models. Hierarchical approach to simulation modelling allows incorporating different levels of detail where each sub-model can be supported by different simulation modelling technique/s. Interestingly, such models often feature Artificial Intelligence algorithms (i.e., GA, NN, AIS, and RL etc.) and the researcher continuously seeks to test capabilities of such algorithms as well as their applicability to model complex E2E-SC systems.

6. Review Summary and Research Impact

Complexity is an attribute of many systems and it can be clearly observed in E2E-SCs. This paper presents findings from the systematic literature review of the supply chain and simulation field, by adopting an integrated and holistic assessment of an E2E-SC, from market-demand scenarios through order management and planning processes, and on to manufacturing and physical distribution. Thus, by providing significant advances in understanding of the theory, methods used and applicability of supply chain simulation, this paper further develops the body of knowledge within this subject of inquiry. Modelling an E2E-SC system using simulation requires a comprehensive level of understanding of the SCM, modelling and interferences between these two and other disciplines. The development of an E2E-SC model using simulation requires three crucial components that need to be considered during the model design stage: structural, computational and systemic organizational that are vital elements of complex systems like E2E-SCs, each with their subcategories as indicated in Figure 3. The SLR exhibited various issues and practical decisions relative to E2E-SC simulation modelling that are influenced by the complex computational techniques and methods that often span across multiple dimensions and disciplines such as mathematics, computer engineering, software design, biology, education and many others. Conclusively the SLR underlined the following points regarding modelling E2E-SC systems using simulation:

- The most frequently researched themes relative to an E2E-SC system simulation modelling are: SCM, Inventory management, SC dynamics, Production planning and Inventory control. These are vital to drive a high performing E2E-SC system. These themes are usually part of multi-disciplinary and cross-sectional studies, where multiple aspects, issues and processes are considered.
- The complexity in E2E-SC system models is derived from structural, computational and systemic organizational factors, which need to be considered during the modelling process.
- An advanced and extended version of existing OR/MS mathematical modelling techniques are often used to facilitate development of E2E-SC simulation models.
- There is an observed shift in simulation modelling towards combining (hybrid) models that are characterised by the amalgamation of multiple modelling techniques and research methodologies.
- Simulation model outputs are often reinforced by application of artificial intelligence algorithms to support the decision maker in providing a better understanding of the system behaviour and system evolution.
- E2E-SC system models are often hierarchical, where multiple decisions are made at various levels that have an ultimate impact on the entire E2E-SC system performance.

This paper contributes to knowledge and understanding of the characteristics of E2E-SC systems as well as the requirements for simulation modelling. The next step would be to develop an experimental model and test the proposed generic E2E-SC simulation elements in real E2E-SC systems to underline its applicability and practicality.

References

- Abdel-Malek, L., Kullpattaranirun, T., & Nanthavanij, S. (2005). A framework for comparing outsourcing strategies in multi-layered supply chains. *International Journal of Production Economics*, 97(3), 318-328.
- Acar, Y., & Atadeniz, S. N. (2015). Comparison of integrated and local planning approaches for the supply network of a globally-dispersed enterprise. *International Journal of Production Economics*, 167, 204-219. doi:10.1016/j.ijpe.2015.05.028
- Acar, Y., Kadipasaoglu, S., & Schipperijn, P. (2010). A decision support framework for global supply chain modelling: An assessment of the impact of demand, supply and lead-time uncertainties on performance. *International Journal of Production Research*, 48(11), 3245-3268.
- Adenso-Diaz, B., Mena, C., García-Carbajal, S., & Liechty, M. (2012). The impact of supply network characteristics on reliability. *Supply Chain Management*, 17(3), 263-276.
- Ahire, S. L., Gorman, M. F., Dwiggins, D., & Mudry, O. (2007). Operations research helps reshape operations strategy at standard register company. *Interfaces*, 37(6), 553-565.

- Albino, V., Carbonara, N., & Giannoccaro, I. (2007). Supply chain cooperation in industrial districts: A simulation analysis. *European Journal of Operational Research*, 177(1), 261-280.
- Ali, M. M., & Boylan, J. E. (2011). Feasibility principles for downstream demand inference in supply chains. *Journal of the Operational Research Society*, 62(3), 474-482.
- Allwood, J. M., & Lee, J. H. (2005). The design of an agent for modelling supply chain network dynamics. *International Journal of Production Research*, 43(22), 4875-4898.
- Amini, M., Otondo, R. F., Janz, B. D., & Pitts, M. G. (2007). Simulation modeling and analysis: A collateral application and exposition of RFID technology. *Production and Operations Management*, 16(5), 586-598.
- Anderson Jr, E. G., Fine, C. H., & Parker, G. G. (2000). Upstream volatility in the supply chain: The machine tool industry as a case study. *Production and Operations Management*, 9(3), 239-261.
- Arns, M., Fischer, M., Kemper, P., & Tepper, C. (2002). Supply chain modelling and its analytical evaluation. *Journal of the Operational Research Society*, 53(8), 885-894.
- Arora, S., & Kumar, S. (2000). Reengineering: A focus on enterprise integration. *Interfaces*, 30(5), 54-71.
- Ashby, A., Leat, M., & Hudson-Smith, M. (2012). Making connections: A review of supply chain management and sustainability literature. *Supply Chain Management*, 17(5), 497-516. doi:10.1108/13598541211258573
- Ayanso, A., Diaby, M., & Nair, S. K. (2006). Inventory rationing via drop-shipping in Internet retailing: A sensitivity analysis. *European Journal of Operational Research*, 171(1), 135-152.
- Banerjee, S., Banerjee, A., Burton, J., & Bistline, W. (2001). Controlled partial shipments in two-echelon supply chain networks: A simulation study. *International Journal of Production Economics*, 71(1-3), 91-100.
- Barbati, M., Bruno, G., & Genovese, A. (2012). Applications of agent-based models for optimization problems: A literature review. *Expert Systems with Applications*, 39(5), 6020-6028.
- Barlas, Y., & Gunduz, B. (2011). Demand forecasting and sharing strategies to reduce fluctuations and the bullwhip effect in supply chains. *Journal of the Operational Research Society*, 62(3), 458-473.
- Bayraktar, E., Lenny Koh, S. C., Gunasekaran, A., Sari, K., & Tatoglu, E. (2008). The role of forecasting on bullwhip effect for E-SCM applications. *International Journal of Production Economics*, 113(1), 193-204.
- Beamon, B. M., & Chen, V. C. P. (2001). Performance analysis of conjoined supply chains. *International Journal of Production Research*, 39(14), 3195-3218.
- Bellamy, M. A., & Basole, R. C. (2013). Network analysis of supply chain systems: A systematic review and future research. *Systems Engineering*, 16(2), 235-249. doi:10.1002/sys.21238
- Ben-Tal, A., Golany, B., & Shtern, S. (2009). Robust multi-echelon multi-period inventory control. *European Journal of Operational Research*, 199(3), 922-935.
- Biehl, M., Prater, E., & Reaff, M. J. (2007). Assessing performance and uncertainty in developing carpet reverse logistics systems. *Computers and Operations Research*, 34(2), 443-463.
- Blackhurst, J., Wu, T., & Craighead, C. W. (2008). A systematic approach for supply chain conflict detection with a hierarchical Petri Net extension. *Omega*, 36(5), 680-696. doi:10.1016/j.omega.2006.02.001
- Bottani, E., & Montanari, R. (2010). Supply chain design and cost analysis through simulation. *International Journal of Production Research*, 48(10), 2859-2886.
- Bottani, E., Montanari, R., Rinaldi, M., & Vignali, G. (2015). Modeling and multi-objective optimization of closed loop supply chains: A case study. *Computers & Industrial Engineering*, 87, 328-342. doi:10.1016/j.cie.2015.05.009
- Boulaksil, Y., & Fransoo, J. C. (2009). Order release strategies to control outsourced operations in a supply chain. *International Journal of Production Economics*, 119(1), 149-160.
- Byrne, P. J., & Heavey, C. (2006). The impact of information sharing and forecasting in capacitated industrial supply chains: A case study. *International Journal of Production Economics*, 103(1), 420-437.
- Caggiano, K. E., Jackson, P. L., Muckstadt, J. A., & Rappold, J. A. (2009). Efficient computation of time-based customer service levels in a multi-item, multi-echelon supply chain: A practical approach for inventory optimization. *European Journal of Operational Research*, 199(3), 744-749.
- Cannella, S., Bruccoleri, M., & Framinan, J. M. (2016). Closed-loop supply chains: What reverse logistics factors influence performance? *International Journal of Production Economics*, 175, 35-49. doi:10.1016/j.ijpe.2016.01.012
- Cannella, S., Ciancimino, E., & Márquez, A. C. (2008). Capacity constrained supply chains: A simulation study. *International Journal of Simulation and Process Modelling*, 4(2), 139-147.
- Caridi, M., Cigolini, R., & De Marco, D. (2005). Improving supply-chain collaboration by linking intelligent agents to CPFR. *International Journal of Production Research*, 43(20), 4191-4218.
- Carvalho, H., Barroso, A. P., MacHado, V. H., Azevedo, S., & Cruz-Machado, V. (2012). Supply chain redesign for resilience using simulation. *Computers and Industrial Engineering*, 62(1), 329-341.
- Cattani, K. D., Jacobs, F. R., & Schoenfelder, J. (2011). Common inventory modeling assumptions that fall short: Arborescent networks, Poisson demand, and single-echelon approximations. *Journal of Operations Management*, 29(5), 488-499.
- Celik, N., & Son, Y. J. (2012). Sequential Monte Carlo-based fidelity selection in dynamic-data-driven adaptive multi-scale simulations. *International Journal of Production Research*, 50(3), 843-865.

- Chaharsooghi, S. K., & Heydari, J. (2010). LT variance or LT mean reduction in supply chain management: Which one has a higher impact on SC performance? *International Journal of Production Economics*, 124(2), 475-481.
- Chan, H. K., & Chan, F. T. S. (2010). A review of coordination studies in the context of supply chain dynamics. *International Journal of Production Research*, 48(10), 2793-2819.
- Chatfield, D. C., Hayya, J. C., & Harrison, T. P. (2007). A multi-formalism architecture for agent-based, order-centric supply chain simulation. *Simulation Modelling Practice and Theory*, 15(2), 153-174.
- Chebolu-Subramanian, V., & Gaukler, G. M. (2015). Product contamination in a multi-stage food supply chain. *European Journal of Operational Research*, 244(1), 164-175. doi:10.1016/j.ejor.2015.01.016
- Chen, C. T., & Huang, S. F. (2006). Order-fulfillment ability analysis in the supply-chain system with fuzzy operation times. *International Journal of Production Economics*, 101(1 SPEC. ISS.), 185-193.
- Chern, C. C., Chen, P. Y., & Huang, K. L. (2014). A production base-stock policy for recycling supply chain management in the presence of uncertainty. *Computers and Industrial Engineering*, 76(1), 193-203.
- Chilmon, B. (2018) "Modelling An End-To-End Supply Chain System Using Simulation" (Unpublished PhD thesis). University of Huddersfield, Huddersfield.
- Chiu, H. N., & Huang, H. L. (2003). A Multi-echelon integrated JIT inventory model using the time buffer and emergency borrowing policies to deal with random delivery lead times. *International Journal of Production Research*, 41(13), 2911-2931.
- Choi, T. Y., & Hong, Y. (2002). Unveiling the structure of supply networks: case studies in Honda, Acura, and DaimlerChrysler. *Journal of Operations Management*, 20(5), 469-493. doi:10.1016/S0272-6963(02)00025-6
- Chong, Y. Q., Wang, B., Yue Tan, G. L., & Cheong, S. A. (2014). Diversified firms on dynamical supply chain cope with financial crisis better. *International Journal of Production Economics*, 150, 239-245.
- Ciancimino, E., Cannella, S., Bruccoleri, M., & Framinan, J. M. (2012). On the Bullwhip Avoidance Phase: The Synchronised Supply Chain. *European Journal of Operational Research*, 221(1), 49-63.
- Cigolini, R., Pero, M., & Rossi, T. (2011). An object-oriented simulation meta-model to analyse supply chain performance. *International Journal of Production Research*, 49(19), 5917-5941.
- Cigolini, R., Pero, M., Rossi, T., & Sianesi, A. (2014). Linking supply chain configuration to supply chain performance: A discrete event simulation model. *Simulation Modelling Practice and Theory*, 40, 1-11.
- Colicchia, C., & Strozzi, F. (2012). Supply chain risk management: A new methodology for a systematic literature review. *Supply Chain Management*, 17(4), 403-418. doi:10.1108/13598541211246558
- Costantino, F., Gravio, G. D., Shaban, A., & Tronci, M. (2015). The impact of information sharing on ordering policies to improve supply chain performances. *Computers & Industrial Engineering*, 82, 127-142. doi:10.1016/j.cie.2015.01.024
- Croson, R., & Donohue, K. (2003). Impact of POS data sharing on supply chain management: An experimental study. *Production and Operations Management*, 12(1), 1-11.
- Dai, H., Lin, J., & Long, Q. (2014). A fractal perspective-based methodological framework for supply chain modelling and distributed simulation with multi-agent system. *International Journal of Production Research*.
- Dai, Z., & Zheng, X. (2015). Design of close-loop supply chain network under uncertainty using hybrid genetic algorithm: A fuzzy and chance-constrained programming model. *Computers & Industrial Engineering*, 88, 444. doi:10.1016/j.cie.2015.08.004
- Das, D., & Dutta, P. (2013). A system dynamics framework for integrated reverse supply chain with three way recovery and product exchange policy. *Computers and Industrial Engineering*, 66(4), 720-733.
- Datta, P. P., & Christopher, M. G. (2011). Information sharing and coordination mechanisms for managing uncertainty in supply chains: A simulation study. *International Journal of Production Research*, 49(3), 765-803.
- Daultani, Y., Kumar, S., Vaidya, O. S., & Tiwari, M. K. (2015). A supply chain network equilibrium model for operational and opportunism risk mitigation. *International Journal of Production Research*, 53(18), 5685-5715. doi:10.1080/00207543.2015.1056325
- De Sensi, G., Longo, F., & Mirabelli, G. (2008). Inventory policies analysis under demand patterns and lead times constraints in a real supply chain. *International Journal of Production Research*, 46(24), 6997-7016.
- Dev, N. K., Shankar, R., Dey, P. K., & Gunasekaran, A. (2014). Holonic supply chain: A study from family-based manufacturing perspective. *Computers and Industrial Engineering*, 78, 1-11. doi:10.1016/j.cie.2014.09.017
- Diabat, A. (2014). Hybrid algorithm for a vendor managed inventory system in a two-echelon supply chain. *European Journal of Operational Research*, 238(1), 114-121.
- Disney, S. M., & Towill, D. R. (2002a). A discrete transfer function model to determine the dynamic stability of a vendor managed inventory supply chain. *International Journal of Production Research*, 40(1), 179-204.
- Disney, S. M., & Towill, D. R. (2002b). A procedure for the optimization of the dynamic response of a Vendor Managed Inventory system. *Computers and Industrial Engineering*, 43(1-2), 27-58.
- Disney, S. M., & Towill, D. R. (2003). Vendor-managed inventory and bullwhip reduction in a two-level supply chain. *International Journal of Operations and Production Management*, 23(5-6), 625-651.

- Dixit, V., Seshadrinath, N., & Tiwari, M. K. (2016). Performance measures based optimization of supply chain network resilience: A NSGA-II + Co-Kriging approach. *Computers & Industrial Engineering*, 93, 205-214. doi:10.1016/j.cie.2015.12.029
- Dominguez, R., Cannella, S., & Framinan, J. M. (2014). On bullwhip-limiting strategies in divergent supply chain networks. *Computers and Industrial Engineering*, 73(1), 85-95.
- Dominguez, R., Framinan, J. M., & Cannella, S. (2014). Serial vs. divergent supply chain networks: A comparative analysis of the bullwhip effect. *International Journal of Production Research*, 52(7), 2194-2210.
- Elia, V., & Gnani, M. G. (2015). Designing an effective closed loop system for pallet management. *International Journal of Production Economics*, 170, 730-740. doi:10.1016/j.ijpe.2015.05.030
- Ertem, M. A., Buyurgan, N., & Rossetti, M. D. (2010). Multiple-buyer procurement auctions framework for humanitarian supply chain management. *International Journal of Physical Distribution and Logistics Management*, 40(3), 202-227.
- Ferreira, L., & Borenstein, D. (2011). Normative agent-based simulation for supply chain planning. *Journal of the Operational Research Society*, 62(3), 501-514.
- Fleischhacker, A., Ninh, A., & Zhao, Y. (2015). Positioning Inventory in Clinical Trial Supply Chains. *Production and Operations Management*, 24(6), 991-1011. doi:10.1111/poms.12302
- Fleischmann, M., Van Nunen, J., Gräve, B., & Gapp, R. (2005). Reverse logistics - Capturing value in the extended supply chain *Supply Chain Management on Demand: Strategies, Technologies, Applications* (pp. 167-186).
- Fridgen, G., Stepanek, C., & Wolf, T. (2015). Investigation of exogenous shocks in complex supply networks: a modular Petri Net approach. *International Journal of Production Research*, 53(5), 1387-1408.
- Fröhling, M., Schwaderer, F., Bartusch, H., & Rentz, O. (2010). Integrated planning of transportation and recycling for multiple plants based on process simulation. *European Journal of Operational Research*, 207(2), 958-970.
- Fu, D., Ionescu, C., Aghezzaf, E.-H., & De Keyser, R. (2015). Quantifying and mitigating the bullwhip effect in a benchmark supply chain system by an extended prediction self-adaptive control ordering policy. *Computers & Industrial Engineering*, 81, 46-57. doi:10.1016/j.cie.2014.12.024
- Ganeshan, R., Boone, T., & Stenger, A. J. (2001). The impact of inventory and flow planning parameters on supply chain performance: An exploratory study. *International Journal of Production Economics*, 71(1-3), 111-118.
- Garvey, M. D., Carnovale, S., & Yenyurt, S. (2014). An analytical framework for supply network risk propagation: A Bayesian network approach. *European Journal of Operational Research*, 243(2), 618. doi:10.1016/j.ejor.2014.10.034
- Georgiadis, P., & Athanasiou, E. (2013). Flexible long-term capacity planning in closed-loop supply chains with remanufacturing. *European Journal of Operational Research*, 225(1), 44-58.
- Giannoccaro, I., & Pontrandolfo, P. (2002). Inventory management in supply chains: A reinforcement learning approach. *International Journal of Production Economics*, 78(2), 153-161.
- Gill, A. (2009). Determining loading dock requirements in production-distribution facilities under uncertainty. *Computers and Industrial Engineering*, 57(1), 161-168.
- Gnani, M. G., Iavagnilio, R., Mossa, G., Mummolo, G., & Di Leva, A. (2003). Production planning of a multi-site manufacturing system by hybrid modelling: A case study from the automotive industry. *International Journal of Production Economics*, 85(2), 251-262.
- Gomez Padilla, A., & Mishina, T. (2009). Supply contract with options. *International Journal of Production Economics*, 122(1), 312-318.
- Gong, D., Liu, S., & Lu, X. (2015). Modelling the impacts of resource sharing on supply chain efficiency. *International Journal of Simulation Modelling*, 14(4), 744-755.
- Govindan, K., & Fattahi, M. (2017). Investigating risk and robustness measures for supply chain network design under demand uncertainty: A case study of glass supply chain. *International Journal of Production Economics*, 183, 680-699. doi:10.1016/j.ijpe.2015.09.033
- Govindu, R., & Chinnam, R. B. (2010). A software agent-component based framework for multi-agent supply chain modelling and simulation. *International Journal of Modelling and Simulation*, 30(2), 155-171.
- Güller, M., Uygun, Y., & Noche, B. (2015). Simulation-based optimization for a capacitated multi-echelon production-inventory system. *Journal of Simulation*, 9(4), 325-336. doi:10.1057/jos.2015.5
- Gumrukcu, S., Rossetti, M. D., & Buyurgan, N. (2008). Quantifying the costs of cycle counting in a two-echelon supply chain with multiple items. *International Journal of Production Economics*, 116(2), 263-274.
- Gupta, M., Ko, H. J., & Min, H. (2002). TOC-based performance measures and five focusing steps in a job-shop manufacturing environment. *International Journal of Production Research*, 40(4), 907-930.
- Handfield, R. B., & Nichols, E. L. (2002). *Supply chain redesign: transforming supply chains into integrated value systems*. Upper Saddle River, NJ: Financial Times/ Prentice Hall.
- Helo, P. T. (2000). Dynamic modelling of surge effect and capacity limitation in supply chains. *International Journal of Production Research*, 38(17 SPEC.), 4521-4533.
- Herrmann, J. W., Lin, E., & Pundoor, G. (2003). *Supply chain simulation modeling using the supply chain operations reference model*.

- Higuchi, T., & Troutt, M. D. (2004). Dynamic simulation of the supply chain for a short life cycle product-Lessons from the Tamagotchi case. *Computers and Operations Research*, 31(7), 1097-1114.
- Hlioui, R., Gharbi, A., & Hajji, A. (2015). Replenishment, production and quality control strategies in three-stage supply chain. *International Journal of Production Economics*, 166, 90-102. doi:10.1016/j.ijpe.2015.04.015
- Ho, C. J. (2007). Measuring system performance of an ERP-based supply chain. *International Journal of Production Research*, 45(6), 1255-1277.
- Hohenstein, N. O., Feise, E., Hartmann, E., & Giunipero, L. (2015). Research on the phenomenon of supply chain resilience: A systematic review and paths for further investigation. *International Journal of Physical Distribution and Logistics Management*, 45, 90-117. doi:10.1108/IJPDLM-05-2013-0128
- Holweg, M., & Bicheno, J. (2002). Supply chain simulation - A tool for education, enhancement and endeavour. *International Journal of Production Economics*, 78(2), 163-175.
- Holweg, M., Disney, S. M., Hines, P., & Naim, M. M. (2005). Towards responsive vehicle supply: A simulation-based investigation into automotive scheduling systems. *Journal of Operations Management*, 23(5), 507-530.
- Hovelaque, V., Duvaleix-Tréguer, S., & Cordier, J. (2009). Effects of constrained supply and price contracts on agricultural cooperatives. *European Journal of Operational Research*, 199(3), 769-780.
- Hsu, S. Y., & Liu, C. H. (2009). Improving the delivery efficiency of the customer order scheduling problem in a job shop. *Computers and Industrial Engineering*, 57(3), 856-866.
- Hung, W. Y., Kucherenko, S., Samsatli, N. J., & Shah, N. (2004). A flexible and generic approach to dynamic modelling of supply chains. *Journal of the Operational Research Society*, 55(8), 801-813.
- Hussain, M., & Drake, P. R. (2011). Analysis of the bullwhip effect with order batching in multi-echelon supply chains. *International Journal of Physical Distribution and Logistics Management*, 41(10), 972-990.
- Hwang, H. B., Chong, C. S. P., Xie, N., & Burgess, T. F. (2005). Modelling a complex supply chain: Understanding the effect of simplified assumptions. *International Journal of Production Research*, 43(13), 2829-2872.
- Iannone, R., Miranda, S., & Riemma, S. (2007). Supply chain distributed simulation: An efficient architecture for multi-model synchronization. *Simulation Modelling Practice and Theory*, 15(3), 221-236.
- Jahangirian, M., Eldabi, T., Naseer, A., Stergioulas, L. K., & Young, T. (2010). Simulation in manufacturing and business: A review. *European Journal of Operational Research*, 203(1), 1-13. doi:10.1016/j.ejor.2009.06.004
- Jammernegg, W., & Reiner, G. (2007). Performance improvement of supply chain processes by coordinated inventory and capacity management. *International Journal of Production Economics*, 108(1-2), 183-190.
- Kaihara, T. (2001). Supply chain management with market economics. *International Journal of Production Economics*, 73(1), 5-14.
- Karaman, A., & Altioek, T. (2009). Approximate analysis and optimization of batch ordering policies in capacitated supply chains. *European Journal of Operational Research*, 193(1), 222-237.
- Khilwani, N., Tiwari, M. K., & Sabuncuoglu, I. (2011). Hybrid Petri-nets for modelling and performance evaluation of supply chains. *International Journal of Production Research*, 49(15), 4627-4656.
- Kitchenham, B., Pearl Brereton, O., Budgen, D., Turner, M., Bailey, J., & Linkman, S. (2009). Systematic literature reviews in software engineering – A systematic literature review. *Information and Software Technology*, 51(1), 7-15. doi:10.1016/j.infsof.2008.09.009
- Kleijnen, J. P. C., & Smits, M. T. (2003). Performance metrics in supply chain management. *Journal of the Operational Research Society*, 54(5), 507-514.
- Kull, T., & Closs, D. (2008). The risk of second-tier supplier failures in serial supply chains: Implications for order policies and distributor autonomy. *European Journal of Operational Research*, 186(3), 1158-1174.
- Labarthe, O., Espinasse, B., Ferrarini, A., & Montreuil, B. (2007). Toward a methodological framework for agent-based modelling and simulation of supply chains in a mass customization context. *Simulation Modelling Practice and Theory*, 15(2), 113-136.
- Lai, X., Wu, G., Shi, J., Wang, H., & Kong, Q. (2015). Project value-adding optimization of project-based supply chain under dynamic reputation incentives. *International Journal of Simulation Modelling*, 14(1), 121-133.
- Lau, J. S. K., Huang, G. Q., & Mak, K. L. (2004). Impact of information sharing on inventory replenishment in divergent supply chains. *International Journal of Production Research*, 42(5), 919-941.
- Lau, R. S. M., Xie, J., & Zhao, X. (2008). Effects of inventory policy on supply chain performance: A simulation study of critical decision parameters. *Computers and Industrial Engineering*, 55(3), 620-633.
- Lee, J. H., & Kim, C. O. (2008). Multi-agent systems applications in manufacturing systems and supply chain management: A review paper. *International Journal of Production Research*, 46(1), 233-265.
- Lee, Y. H., Cho, M. K., Kim, S. J., & Kim, Y. B. (2002). Supply chain simulation with discrete-continuous combined modeling. *Computers and Industrial Engineering*, 43(1-2), 375-392.
- Lee, Y. H., & Kim, S. H. (2002). Production-distribution planning in supply chain considering capacity constraints. *Computers and Industrial Engineering*, 43(1-2), 169-190.
- Leshem, S., & Trafford, V. (2007). Overlooking the conceptual framework. *Innovations in Education and Teaching International*, 44(1), 93-105. doi:10.1080/14703290601081407

- Li, C., & Liu, S. (2012). A stochastic network model for ordering analysis in multi-stage supply chain systems. *Simulation Modelling Practice and Theory*, 22, 92-108.
- Li, G., Yang, H., Sun, L., Ji, P., & Feng, L. (2010). The evolutionary complexity of complex adaptive supply networks: A simulation and case study. *International Journal of Production Economics*, 124(2), 310-330. doi:10.1016/j.ijpe.2006.11.025;
- Li, J., & Sheng, Z. (2011). A multi-agent model for the reasoning of uncertainty information in supply chains. *International Journal of Production Research*, 49(19), 5737-5753.
- Li, J., Sheng, Z., & Liu, H. (2010). Multi-agent simulation for the dominant players' behavior in supply chains. *Simulation Modelling Practice and Theory*, 18(6), 850-859.
- Li, M., Wu, C., Zhang, L., & You, L. (2015). An intuitionistic fuzzy-todim method to solve distributor evaluation and selection problem. *International Journal of Simulation Modelling*, 14(3), 511-524.
- Lin, C. W. R., & Chen, H. Y. S. (2003). Dynamic allocation of uncertain supply for the perishable commodity supply chain. *International Journal of Production Research*, 41(13), 3119-3138.
- Lin, G., Ettl, M., Buckley, S., Bagchi, S., Yao, D. D., Naccarato, B. L., . . . Koenig, L. (2000). Extended-enterprise supply-chain management at IBM personal systems group and other divisions. *Interfaces*, 30(1), 7-25.
- Liu, Z., & Nagurney, A. (2011). Supply chain outsourcing under exchange rate risk and competition. *Omega*, 39(5), 539-549.
- Liu, Z., & Nagurney, A. (2013). Supply chain networks with global outsourcing and quick-response production under demand and cost uncertainty. *Annals of Operations Research*, 208(1), 251-289.
- Long, Q. (2014). Distributed supply chain network modelling and simulation: integration of agent-based distributed simulation and improved SCOR model. *International Journal of Production Research*.
- Longo, F. (2014). Testing the behaviour of different inventory control policies in case of extended reverse logistics by using simulation. *International Journal of Simulation and Process Modelling*, 9(3), 167-180. doi:10.1504/IJSPM.2014.064390
- Longo, F., & Mirabelli, G. (2008). An advanced supply chain management tool based on modeling and simulation. *Computers and Industrial Engineering*, 54(3), 570-588.
- Lyu, J., Ding, J. H., & Chen, P. S. (2010). Coordinating replenishment mechanisms in supply chain: From the collaborative supplier and store-level retailer perspective. *International Journal of Production Economics*, 123(1), 221-234.
- Mahnam, M., Yadollahpour, M. R., Famil-Dardashti, V., & Hejazi, S. R. (2009). Supply chain modeling in uncertain environment with bi-objective approach. *Computers and Industrial Engineering*, 56(4), 1535-1544.
- Manuel, P., Al-Hamadi, H., & Qureshi, K. (2015). Challenges, strategies and metrics for supply-driven enterprises. *Annals of Operations Research*, 233(1), 293-303. doi:10.1007/s10479-013-1346-z
- Manuj, I., Mentzer, J. T., & Bowers, M. R. (2009). Improving the rigor of discrete-event simulation in logistics and supply chain research. *International Journal of Physical Distribution and Logistics Management*, 39(3), 172-201.
- Marquez, A. C., Bianchi, C., & Gupta, J. N. D. (2004). Operational and financial effectiveness of e-collaboration tools in supply chain integration. *European Journal of Operational Research*, 159(2 SPEC. ISS.), 348-363.
- Martinez-Olvera, C. (2010). Impact of the alignment between the strategic and operational levels of a manufacturing enterprise. *International Journal of Production Research*, 48(4), 1195-1215.
- Martínez-Olvera, C. (2008). Entropy as an assessment tool of supply chain information sharing. *European Journal of Operational Research*, 185(1), 405-417.
- Martínez-Olvera, C. (2009). Benefits of using hybrid business models within a supply chain. *International Journal of Production Economics*, 120(2), 501-511.
- Mateen, A., Chatterjee, A. K., & Mitra, S. (2015). VMI for single-vendor multi-retailer supply chains under stochastic demand. *Computers & Industrial Engineering*, 79, 95-102. doi:10.1016/j.cie.2014.10.028
- Meijboom, B., & Obel, B. (2007). Tactical coordination in a multi-location and multi-stage operations structure: A model and a pharmaceutical company case. *Omega*, 35(3), 258-273.
- Meixell, M. J., & Wu, S. D. (2005). Demand propagation in the extended enterprise: A comparative analysis of product and process design policies. *International Journal of Production Research*, 43(20), 4169-4189.
- Mendoza, J. D., Mula, J., & Campuzano-Bolarin, F. (2014). Using systems dynamics to evaluate the tradeoff among supply chain aggregate production planning policies. *International Journal of Operations and Production Management*, 34(8), 1055-1079.
- Merkuryev, Y., Merkuryeva, G., Bikovska, J., Hatem, J., & Desmet, B. (2009). Business simulation game for teaching multi-echelon supply chain management. *International Journal of Simulation and Process Modelling*, 5(4), 289-299.
- Min, H. (2009). Application of a decision support system to strategic warehousing decisions. *International Journal of Physical Distribution and Logistics Management*, 39(4), 270-281.
- Min, H., & Zhou, G. (2002). Supply chain modeling: Past, present and future. *Computers and Industrial Engineering*, 43(1-2), 231-249.
- Mishra, M., & Chan, F. T. S. (2012). Impact evaluation of supply chain initiatives: A system simulation methodology. *International Journal of Production Research*, 50(6), 1554-1567.
- Mizgier, K. J. (2017). Global sensitivity analysis and aggregation of risk in multi-product supply chain networks. *International Journal of Production Research*, 55(1), 130-144. doi:10.1080/00207543.2016.1198504

- Mizgier, K. J., Wagner, S. M., & Holyst, J. A. (2012). Modeling defaults of companies in multi-stage supply chain networks. *International Journal of Production Economics*, 135(1), 14-23.
- Mizgier, K. J., Wagner, S. M., & Jüttner, M. P. (2015). Disentangling diversification in supply chain networks. *International Journal of Production Economics*, 162, 115-124. doi:10.1016/j.ijpe.2015.01.007
- Moghaddam, K. S. (2015). Supplier selection and order allocation in closed-loop supply chain systems using hybrid Monte Carlo simulation and goal programming. *International Journal of Production Research*, 53(20), 6320-6338. doi:10.1080/00207543.2015.1054452
- Mohebbi, E., & Choobineh, F. (2005). The impact of component commonality in an assemble-to-order environment under supply and demand uncertainty. *Omega*, 33(6), 472-482.
- Moreno, J., Mula, J., & Campuzano-Bolarin, F. (2015). Increasing the equity of a flower supply chain by improving order management and supplier selection. *International Journal of Simulation Modelling*, 14(2), 201-214.
- Morin, E. (1992). From the concept of system to the paradigm of complexity. *Journal of Social and Evolutionary Systems*, 15(4), 371-385. doi:10.1016/1061-7361(92)90024-8
- Mousavi, S. M., Alikar, N., Niaki, S. T. A., & Bahreininejad, A. (2015). Optimizing a location allocation-inventory problem in a two-echelon supply chain network: A modified fruit fly optimization algorithm. *Computers & Industrial Engineering*, 87, 543-560. doi:10.1016/j.cie.2015.05.022
- Munoz, A., & Dunbar, M. (2015). On the quantification of operational supply chain resilience. *International Journal of Production Research*, 53(22), 6736-6751. doi:10.1080/00207543.2015.1057296
- Nativi, J. J., & Lee, S. (2012). Impact of RFID information-sharing strategies on a decentralized supply chain with reverse logistics operations. *International Journal of Production Economics*, 136(2), 366-377.
- Oliveira, J. B., Lima, R. S., & Montevechi, J. A. B. (2016). Perspectives and relationships in Supply Chain Simulation: A systematic literature review. *Simulation Modelling Practice and Theory*, 62, 166-191. doi:10.1016/j.simpat.2016.02.001
- Ovalle, O. R., & Marquez, A. C. (2003). Exploring the utilization of a CONWIP system for supply chain management. A comparison with fully integrated supply chains. *International Journal of Production Economics*, 83(2), 195-215.
- Özbayrak, M., Papadopoulou, T. C., & Akgun, M. (2007). Systems dynamics modelling of a manufacturing supply chain system. *Simulation Modelling Practice and Theory*, 15(10), 1338-1355.
- Özdemir, D., Yücesan, E., & Herer, Y. T. (2006). Multi-location transshipment problem with capacitated transportation. *European Journal of Operational Research*, 175(1), 602-621.
- Pan, S., Nigrelli, M., Ballot, E., Sarraj, R., & Yang, Y. (2015). Perspectives of inventory control models in the Physical Internet: A simulation study. *Computers & Industrial Engineering*, 84, 122-132. doi:10.1016/j.cie.2014.11.027
- Pashaei, S., & Olhager, J. (2015). Product architecture and supply chain design: A systematic review and research agenda. *Supply Chain Management*, 20(1), 98-112. doi:10.1108/SCM-12-2013-0487
- Pathak, S. D., Dilts, D. M., & Biswas, G. (2007). On the evolutionary dynamics of supply network topologies. *IEEE Transactions on Engineering Management*, 54(4), 662-672.
- Persson, F. (2011). SCOR template - A simulation based dynamic supply chain analysis tool. *International Journal of Production Economics*, 131(1), 288-294.
- Persson, F., & Araldi, M. (2009). The development of a dynamic supply chain analysis tool-Integration of SCOR and discrete event simulation. *International Journal of Production Economics*, 121(2), 574-583.
- Persson, F., Olhager, J., Tekniska, h., Linköpings, u., & Institutionen för, p. (2002). Performance simulation of supply chain designs. *International Journal of Production Economics*, 77(3), 231-245. doi:10.1016/S0925-5273(00)00088-8
- Petersen, C. G., Aase, G. R., & Heiser, D. R. (2011). Journal ranking analyses of operations management research. *International Journal of Operations & Production Management*, 31(4), 405-422. doi:10.1108/01443571111119533
- Petrovic, D. (2001). Simulation of supply chain behaviour and performance in an uncertain environment. *International Journal of Production Economics*, 71(1-3), 429-438.
- Pezeshki, Y., Baboli, A., Cheikhrouhou, N., Modarres, M., & Akbari Jokar, M. R. (2013). A rewarding-punishing coordination mechanism based on Trust in a divergent supply chain. *European Journal of Operational Research*, 230(3), 527-538.
- Pierreval, H., Bruniaux, R., & Caux, C. (2007). A continuous simulation approach for supply chains in the automotive industry. *Simulation Modelling Practice and Theory*, 15(2), 185-198.
- Pilbeam, C., Alvarez, G., & Wilson, H. (2012). The governance of supply networks: A systematic literature review. *Supply Chain Management*, 17(4), 358-376. doi:10.1108/13598541211246512
- Pirard, F., Iassinovski, S., & Riane, F. (2011). A simulation based approach for supply network control. *International Journal of Production Research*, 49(24), 7205-7226.
- Poles, R. (2013). System Dynamics modelling of a production and inventory system for remanufacturing to evaluate system improvement strategies. *International Journal of Production Economics*, 144(1), 189-199.
- Poojari, C. A., Lucas, C., & Mitra, G. (2008). Robust solutions and risk measures for a supply chain planning problem under uncertainty. *Journal of the Operational Research Society*, 59(1), 2-12. doi:10.1016/j.ejor.2006.06.045

- Pundoor, G., & Herrmann, J. W. (2007). A hierarchical approach to supply chain simulation modelling using the Supply Chain Operations Reference model. *International Journal of Simulation and Process Modelling*, 2(3-4), 124-124. doi:10.1504/IJSPM.2006.012641
- Rabelo, L., Eskandari, H., Shaalan, T., & Helal, M. (2007). Value chain analysis using hybrid simulation and AHP. *International Journal of Production Economics*, 105(2), 536-547.
- Rabelo, L., Helal, M., Lertpattarapong, C., Moraga, R., & Sarmiento, A. (2008). Using system dynamics, neural nets, and eigenvalues to analyse supply chain behaviour. A case study. *International Journal of Production Research*, 46(1), 51-71.
- Rao, U., Scheller-Wolf, A., & Tayur, S. (2000). Development of a rapid-response supply chain at Caterpillar. *Operations Research*, 48(2), 189-204.
- Reiner, G. (2005). Customer-oriented improvement and evaluation of supply chain processes supported by simulation models. *International Journal of Production Economics*, 96(3), 381-395.
- Riddalls, C. E., & Bennett, S. (2002). The stability of supply chains. *International Journal of Production Research*, 40(2), 459-475.
- Rijpkema, W. A., Rossi, R., & van der Vorst, J. G. A. J. (2014). Effective sourcing strategies for perishable product supply chains. *International Journal of Physical Distribution and Logistics Management*, 44(6), 494-510. doi:10.1108/IJPDLM-01-2013-0013
- Rossetti, M. D., & Thomas, S. (2006). Object-oriented multi-indenture multi-echelon spare parts supply chain simulation model. *International Journal of Modelling and Simulation*, 26(4), 359-369.
- Rousseau, D. M., Manning, J., & Denyer, D. (2008). Evidence in management and organizational science: assembling the field's full weight of scientific knowledge through syntheses. *Annals*, 2, 475-515.
- Roy, R., & Arunachalam, R. (2004). Parallel discrete event simulation algorithm for manufacturing supply chains. *Journal of the Operational Research Society*, 55(6), 622-629.
- Sagawa, J. K., & Nagano, M. S. (2015). Modeling the dynamics of a multi-product manufacturing system: A real case application. *European Journal of Operational Research*, 244(2), 624-636. doi:10.1016/j.ejor.2015.01.017
- Sahin, F., & Robinson Jr, E. P. (2005). Information sharing and coordination in make-to-order supply chains. *Journal of Operations Management*, 23(6), 579-598.
- Salem, R. W., & Haouari, M. (2017). A simulation-optimisation approach for supply chain network design under supply and demand uncertainties. *International Journal of Production Research*, 55(7), 1845-1817. doi:10.1080/00207543.2016.1174788
- Santa-Eulalia, L. A., Halladjian, G., D'Amours, S., & Frayret, J.-M. (2011). Integrated methodological frameworks for modelling agent-based advanced supply chain planning systems: a systematic literature review. *Journal of Industrial Engineering and Management*, 4(4), 624-668.
- Sari, K. (2007). Exploring the benefits of vendor managed inventory. *International Journal of Physical Distribution and Logistics Management*, 37(7), 529-545.
- Sari, K. (2008). On the benefits of CPFR and VMI: A comparative simulation study. *International Journal of Production Economics*, 113(2), 575-586.
- Sarraffa, K., Rahmati, S. H. A., Niaki, S. T. A., & Zaretalab, A. (2014). A bi-objective integrated procurement, production, and distribution problem of a multi-echelon supply chain network design: A new tuned MOEA. *Computers and Operations Research*, 54, 35-51. doi:10.1016/j.cor.2014.08.010
- Schmitt, A. J., & Singh, M. (2012). A quantitative analysis of disruption risk in a multi-echelon supply chain. *International Journal of Production Economics*, 139(1), 22-32.
- Shafer, S. M., & Smunt, T. L. (2004). Empirical simulation studies in operations management: context, trends, and research opportunities. *Journal of Operations Management*, 22(4), 345-354. doi:10.1016/j.jom.2004.05.002
- Shang, J. S., Li, S., & Tadikamalla, P. (2004). Operational design of a supply chain system using the Taguchi method, response surface methodology, simulation, and optimization. *International Journal of Production Research*, 42(18), 3823-3849.
- Shannon, R. E. (1975). *Systems simulation: the art and science*. Englewood Cliffs: Prentice-Hall.
- Shi, W., Liu, Z., Shang, J., & Cui, Y. (2013). Multi-criteria robust design of a JIT-based cross-docking distribution center for an auto parts supply chain. *European Journal of Operational Research*, 229(3), 695-706.
- Shu, J., & Barton, R. (2012). Managing supply chain execution: Monitoring timeliness and correctness via individualized trace data. *Production and Operations Management*, 21(4), 715-729.
- Shu, J., & Karimi, I. A. (2009). Efficient heuristics for inventory placement in acyclic networks. *Computers and Operations Research*, 36(11), 2899-2904.
- Shukla, M., Shukla, N., Tiwari, M. K., & Chan, F. T. S. (2009). Integrated model for the batch sequencing problem in a multi-stage supply chain: An artificial immune system based approach. *International Journal of Production Research*, 47(4), 1015-1037.
- Solis, A. O., Longo, F., Nicoletti, L., Caruso, P., & Fazzari, E. (2014). A modelling and simulation approach to assessment of a negative binomial approximation in a multi-echelon inventory system. *International Journal of Simulation and Process Modelling*, 9(3), 146-156. doi:10.1504/IJSPM.2014.064386

- Son, J. Y., & Sheu, C. (2008). The impact of replenishment policy deviations in a decentralized supply chain. *International Journal of Production Economics*, 113(2), 785-804.
- Son, Y. J., & Venkateswaran, J. (2005). Hybrid system dynamic-discrete event simulation-based architecture for hierarchical production planning. *International Journal of Production Research*, 43(20), 4397-4429. doi:10.1080/00207540500142472
- Son, Y. J., & Venkateswaran, J. (2007). Hierarchical supply chain planning architecture for integrated analysis of stability and performance. *International Journal of Simulation and Process Modelling*, 3(3), 153-169.
- Soni, G., & Kodali, R. (2013). A critical review of supply chain management frameworks: proposed framework. *Benchmarking*, 20(2), 263-298. doi:10.1108/14635771311307713
- Spengler, T., & Schröter, M. (2003). Strategic Management of Spare Parts in Closed-Loop Supply Chains - A System Dynamics Approach. *Interfaces*, 33(6), 7-17.
- Springer, M., & Kim, I. (2010). Managing the order pipeline to reduce supply chain volatility. *European Journal of Operational Research*, 203(2), 380-392.
- Stefanovic, D., Stefanovic, N., & Radenkovic, B. (2009). Supply network modelling and simulation methodology *Simulation Modelling Practice and Theory*, 17(4), 743-766. doi:10.1016/j.simpat.2009.01.001\
- 10.1007/s10845-008-0098-0\
- Surana, A., Kumara, S., Greaves, M., & Raghavan, U. N. (2005). Supply-chain networks: A complex adaptive systems perspective. *International Journal of Production Research*, 43(20), 4235-4265.
- Tako, A. A., & Robinson, S. (2009). Comparing discrete-event simulation and system dynamics: users' perceptions. *Journal of the Operational Research Society*, 60(3), 296-312. doi:10.1057/palgrave.jors.2602566
- Tannock, J., Cao, B., Farr, R., & Byrne, M. (2007). Data-driven simulation of the supply-chain-Insights from the aerospace sector. *International Journal of Production Economics*, 110(1-2), 70-84.
- Temponi, C., Bryant, M. D., & Fernandez, B. (2009). Integration of business function models into an aggregate enterprise systems model. *European Journal of Operational Research*, 199(3), 793-800.
- Terzi, S., & Cavalieri, S. (2004). Simulation in the supply chain context: a survey. *Computers in Industry*, 53(1), 3-16. doi:10.1016/S0166-3615(03)00104-0
- Thron, T., Nagy, G., & Wassan, N. (2006). The impact of various levels of collaborative engagement on global and individual supply chain performance. *International Journal of Physical Distribution and Logistics Management*, 36(8), 596-620.
- Tiacci, L., & Saetta, S. (2011). A heuristic for balancing the inventory level of different locations through lateral shipments. *International Journal of Production Economics*, 131(1), 87-95.
- Tiwari, M. K., Raghavendra, N., Agrawal, S., & Goyal, S. K. (2010). A Hybrid Taguchi-Immune approach to optimize an integrated supply chain design problem with multiple shipping. *European Journal of Operational Research*, 203(1), 95-106.
- Tranfield, D., Denyer, D., & Smart, P. (2003). Towards a Methodology for Developing Evidence-Informed Management Knowledge by Means of Systematic Review. *British Journal of Management*, 14(3), 207-222. doi:10.1111/1467-8551.00375
- Truong, T. H., & Azadivar, F. (2005). Optimal design methodologies for configuration of supply chains. *International Journal of Production Research*, 43(11), 2217-2236.
- Tsadikovich, D., Levner, E., Tell, H., & Werner, F. (2016). Integrated demand-responsive scheduling of maintenance and transportation operations in military supply chains. *International Journal of Production Research*, 54(19), 5798-5810. doi:10.1080/00207543.2016.1178864
- Vahdani, B., Zandieh, M., & Roshanaei, V. (2011). A hybrid multi-stage predictive model for supply chain network collapse recovery analysis: A practical framework for effective supply chain network continuity management. *International Journal of Production Research*, 49(7), 2035-2060.
- Vamanan, M., Wang, Q., Batta, R., & Szczerba, R. J. (2004). Integration of COTS software products ARENA and CPLEX for an inventory/logistics problem. *Computers and Operations Research*, 31(4), 533-547.
- Van Der Vorst, J. G. A. J., Beulens, A. J. M., & Van Beek, P. (2000). Modelling and simulating multi-echelon food systems. *European Journal of Operational Research*, 122(2), 354-366.
- Van Der Vorst, J. G. A. J., Tromp, S. O., & Van Der Zee, D. J. (2009). Simulation modelling for food supply chain redesign: Integrated decision making on product quality, sustainability and logistics. *International Journal of Production Research*, 47(23), 6611-6631.
- Van Landeghem, H., & Vanmaele, H. (2002). Robust planning: A new paradigm for demand chain planning. *Journal of Operations Management*, 20(6), 769-783.
- Venkateswaran, J., & Son, Y. (2009). Robust supply-chain planning using multi-resolution hybrid models: Experimental study. *International Journal of Modelling and Simulation*, 29(4), 417-427.
- Venkateswaran, J., & Son, Y. J. (2004). Impact of modelling approximations in supply chain analysis - An experimental study. *International Journal of Production Research*, 42(15), 2971-2992.

- Verma, A. K. (2006). Improving agility of supply chains using base stock model and computer based simulations. *International Journal of Physical Distribution and Logistics Management*, 36(6), 445-454.
- Viswanathan, S., Widiarta, H., & Piplani, R. (2007). Value of information exchange and synchronization in a multi-tier supply chain. *International Journal of Production Research*, 45(21), 5057-5074.
- Vlachos, D., Georgiadis, P., & Iakovou, E. (2007). A system dynamics model for dynamic capacity planning of remanufacturing in closed-loop supply chains. *Computers and Operations Research*, 34(2), 367-394.
- Wadhwa, S., Mishra, M., Chan, F. T. S., & Ducq, Y. (2010). Effects of information transparency and cooperation on supply chain performance: A simulation study. *International Journal of Production Research*, 48(1), 145-166.
- Wadhwa, S., Saxena, A., & Chan, F. T. S. (2008). Framework for flexibility in dynamic supply chain management. *International Journal of Production Research*, 46(6), 1373-1404.
- Wang, Z., Wang, X., & Ouyang, Y. (2015). Bounded growth of the bullwhip effect under a class of nonlinear ordering policies. *European Journal of Operational Research*, 247(1), 72. doi:10.1016/j.ejor.2015.04.047
- Wangphanich, P., Kara, S., & Kayis, B. (2010). Analysis of the bullwhip effect in multi-product, multi-stage supply chain systems-a simulation approach. *International Journal of Production Research*, 48(15), 4501-4517.
- Wikner, J., Naim, M. M., & Rudberg, M. (2007). Exploiting the order book for mass customized manufacturing control systems with capacity limitations. *IEEE Transactions on Engineering Management*, 54(1), 145-155.
- Wu, D., & Olson, D. L. (2008). Supply chain risk, simulation, and vendor selection. *International Journal of Production Economics*, 114(2), 646-655.
- Wu, Y., Frizelle, G., & Efstathiou, J. (2007). A study on the cost of operational complexity in customer-supplier systems. *International Journal of Production Economics*, 106(1), 217-229.
- Xiang, Y., & Rossetti, M. D. (2014). The effect of backlog queue and load-building processing in a multi-echelon inventory network. *Simulation Modelling Practice and Theory*, 43, 54-66.
- Xudong, X., Kumar, A., & Tan, A. W. K. (2008). A simulation-based approach for evaluating diverse inventory policies in a supply chain. *International Journal of Simulation and Process Modelling*, 4(1), 18-30.
- Yadav, S. R., Mishra, N., Kumar, V., & Tiwari, M. K. (2011). A framework for designing robust supply chains considering product development issues. *International Journal of Production Research*, 49(20), 6065-6088.
- Yan, X. S., Robb, D. J., & Silver, E. A. (2009). Inventory performance under pack size constraints and spatially-correlated demand. *International Journal of Production Economics*, 117(2), 330-337.
- Yu, F., Kaihara, T., Fujii, N., Sun, C., & Yang, W. (2015). A multi-attribute multi-item negotiation mechanism of supply chain networks between buyers and sellers. *International Journal of Production Research*, 53(20), 6143-6160. doi:10.1080/00207543.2015.1034328
- Zeng, Y., & Xiao, R. (2014). Modelling of cluster supply network with cascading failure spread and its vulnerability analysis. *International Journal of Production Research*, 52(23), 6938-6953. doi:10.1080/00207543.2014.917769
- Zeng, Y., & Xiao, R. (2014). Modelling of cluster supply network with cascading failure spread and its vulnerability analysis. *International Journal of Production Research*.
- Zhang, C., & Zhang, C. (2007). Design and simulation of demand information sharing in a supply chain. *Simulation Modelling Practice and Theory*, 15(1), 32-46.
- Zhang, D. Z., Anosike, A. I., Lim, M. K., & Akanle, O. M. (2006). An agent-based approach for e-manufacturing and supply chain integration. *Computers and Industrial Engineering*, 51(2), 343-360.
- Zhang, J., Liu, G., Zhang, Q., & Bai, Z. (2015). Coordinating a supply chain for deteriorating items with a revenue sharing and cooperative investment contract. *Omega*, 56, 37-49. doi:10.1016/j.omega.2015.03.004
- Zhang, L. (2015). Dynamic Optimization Model For Garment Dual Channel Supply Chain Network: A Simulation Study. *International Journal of Simulation Modelling*, 14(4), 697-709.
- Zhang, X., & Huang, G. Q. (2010). Game-theoretic approach to simultaneous configuration of platform products and supply chains with one manufacturing firm and multiple cooperative suppliers. *International Journal of Production Economics*, 124(1), 121-136.